

索引

● 記号 ●

- ☐ ~-associated ————— 53
- ☐ ~-fold decrease ————— 184
- ☐ ~-fold higher ————— 185
- ☐ ~-fold increase ————— 183
- ☐ ~-fold more potent ————— 186
- ☐ ...hours after ~ ————— 120
- ☐ ~-induced ————— 40, 85
- ☐ ~ per day ————— 231
- ☐ ~% reduction ————— 184
- ☐ ~ times higher ————— 186
- ☐ ~ times more ... ————— 186
- ☐ ~ times more likely to ... — 186
- ☐ ~-treated ————— 52, 101

● 欧字 ●

A

- ☐ aberrant ————— 94
- ☐ ability ————— 63, 67, 162
- ☐ ability to ~ ————— 63
- ☐ abnormality — 62, 109, 172, 209
- ☐ abscess ————— 242
- ☐ absence ————— 101
- ☐ absent ————— 73
- ☐ absolutely ————— 81
- ☐ absolutely required ————— 81
- ☐ abstract thinking ————— 194
- ☐ abuse ————— 180
- ☐ abuser ————— 211
- ☐ accept ————— 59
- ☐ acceptable ————— 169
- ☐ accident ————— 241
- ☐ accompanied by ~ — 34, 194
- ☐ accompany ————— 33
- ☐ accompanying ————— 198
- ☐ Accordingly, ————— 161
- ☐ according to ~ ————— 171
- ☐ account for ~ — 97, 150, 195
- ☐ accumulate ————— 142, 176
- ☐ accumulation — 55, 175, 184
- ☐ accuracy ————— 173

- ☐ accurately ————— 67
- ☐ acetylation ————— 56
- ☐ achieve ————— 99
- ☐ acoustic ————— 24
- ☐ act ————— 62
- ☐ act as ~ ————— 62, 207
- ☐ ACTH ————— 226
- ☐ action ————— 92, 228, 229
- ☐ activate ————— 86, 89
- ☐ activation — 115, 166, 226
- ☐ activation by ~ ————— 125
- ☐ active ————— 95
- ☐ actively ————— 92
- ☐ activity — 56, 149, 158, 175, 199, 202
- ☐ activity against ~ ————— 121
- ☐ acute ————— 126
- ☐ acute lung injury — 184
- ☐ additional ————— 134
- ☐ Additionally, ————— 100
- ☐ address ————— 43
- ☐ address whether ~ — 43
- ☐ adenovirus ————— 70
- ☐ adequacy ————— 209
- ☐ adequate ————— 173
- ☐ adjacent ————— 51
- ☐ adjacent to ~ ————— 51
- ☐ adjust ————— 137
- ☐ adjusting for ~ ————— 138
- ☐ adjustment — 159, 240
- ☐ adjustment for ~ — 133
- ☐ administer — 66, 231
- ☐ adolescent — 27, 43
- ☐ adrenergic blocker — 91
- ☐ adult ————— 124
- ☐ advance — 131, 173, 177
- ☐ advanced ————— 86
- ☐ advanced age ————— 152
- ☐ adverse — 142, 161, 190, 208
- ☐ adverse drug reaction — 176
- ☐ adverse effect — 41, 46, 224
- ☐ adverse reaction — 114
- ☐ aerosol ————— 48, 224
- ☐ a few ————— 161
- ☐ affect ————— 102, 195

- ☐ affected ————— 186
- ☐ affinity ————— 128
- ☐ affinity for ~ ————— 128
- ☐ after adjusting for ~ ————— 223
- ☐ after adjustment for ~ ————— 133
- ☐ after stimulation ————— 212
- ☐ age ————— 122
- ☐ age at ~ ————— 122
- ☐ aged ————— 162
- ☐ age-dependent ————— 116
- ☐ agent ————— 27, 62, 95, 126, 129, 178, 196
- ☐ age-related ————— 174
- ☐ aging ————— 124, 174, 234
- ☐ a high degree of ~ — 26, 190
- ☐ AIDS ————— 61, 186
- ☐ aim ————— 24, 40, 75, 107, 133, 163, 182
- ☐ aimed at ~ ing ————— 47
- ☐ air ————— 87
- ☐ alcoho ————— 175
- ☐ alcoholics ————— 211
- ☐ alert ————— 154
- ☐ all ————— 111
- ☐ allergen ————— 26
- ☐ allograft ————— 68, 126, 167
- ☐ almost ————— 77, 94, 186
- ☐ alone ————— 143
- ☐ also ————— 154
- ☐ alter ————— 103, 132, 199
- ☐ alteration ————— 174
- ☐ alternative ————— 135, 239
- ☐ alternatively ————— 140
- ☐ Alternatively, ————— 150
- ☐ although ————— 153
- ☐ always ————— 160
- ☐ Alzheimer's disease 56, 130, 158
- ☐ amino acid ————— 128
- ☐ amount ————— 87, 189
- ☐ amphibian ————— 154
- ☐ amplify ————— 231
- ☐ amyloid ————— 95
- ☐ amyloid deposition ————— 116
- ☐ analogous ————— 51
- ☐ analogous to ~ ————— 51
- ☐ analysis — 30, 83, 102, 132
- ☐ analyze — 30, 130, 136, 227
- ☐ an array of ~ ————— 108
- ☐ androgen ————— 214
- ☐ androgen receptor ————— 139
- ☐ angiogenesis ————— 108
- ☐ animal ————— 25, 29
- ☐ animal model ————— 30, 173
- ☐ animal study ————— 43
- ☐ annual ————— 187, 234
- ☐ anomaly ————— 63, 111
- ☐ anthrax ————— 75
- ☐ antiapoptotic ————— 25
- ☐ antibiotic ————— 150, 213
- ☐ antibiotics ————— 239
- ☐ antibody — 22, 83, 89, 109, 151
- ☐ anticancer ————— 126, 231
- ☐ antifungal ————— 95
- ☐ antigen ————— 123, 204
- ☐ antitumor ————— 121
- ☐ antiviral ————— 136, 161
- ☐ a number of ~ — 61, 69, 175, 239, 244
- ☐ aortic ————— 229
- ☐ apoptosis — 144, 193, 206, 235
- ☐ apoptotic ————— 113, 121
- ☐ appear ————— 51
- ☐ appear to ~ — 51, 81, 129, 196
- ☐ application ————— 28, 217
- ☐ approach ————— 57, 86, 135
- ☐ approach for ~ ————— 67
- ☐ appropriately ————— 52
- ☐ approve ————— 161
- ☐ approximately ————— 184
- ☐ approximately equal ————— 87
- ☐ arise — 121, 145, 203, 216, 218
- ☐ arise from ~ ————— 63
- ☐ aromatase ————— 76
- ☐ arterial pressure ————— 91
- ☐ artery ————— 65
- ☐ arthropod ————— 74
- ☐ article ————— 198
- ☐ as ————— 218
- ☐ as a component of ~ — 207
- ☐ as a consequence of ~ — 203

- as a first step ————— 208
- as a marker ————— 204
- as a means ————— 204
- as a mechanism ————— 206
- as an alternative to ~ ——— 209
- as an example ————— 208
- as an index of ~ ————— 209
- as an inhibitor ————— 207
- as a probe ————— 205
- as a result of ~ ————— 202
- as a source of ~ ————— 206
- as assessed by ~ ————— 138
- as a substrate ————— 203
- as a target ————— 205
- as a whole ————— 206
- as compared with ~ ——— 192
- as controls ————— 205
- as defined by ~ ————— 198
- as demonstrated by ~ ——— 195
- as described ————— 198
- as detected by ~ ————— 197
- as determined by ~ ——— 192
- as early as ~ ————— 212
- as early as possible ——— 169
- as effective as ~ ————— 214
- as efficiently as ~ ——— 215
- as evidenced by ~ ——— 193
- as expected ————— 193
- asexually ————— 63
- as few as ~ ————— 215
- as for ~ ————— 216
- as high as ~ ————— 213
- as indicated by ~ ——— 194
- as judged by ~ ————— 195
- ask ————— 41
- ask whether ~ ————— 41
- as little as ~ ————— 214
- as long as ~ ————— 213
- as low as ~ ————— 212
- as many as ~ ————— 214
- as measured by ~ ——— 192
- as much as ~ ————— 212
- as observed ————— 196
- as of ~ ————— 217
- as opposed to ~ ——— 157, 196
- as part of ~ ————— 202
- aspirin ————— 209
- as predicted by ~ ——— 199
- as reflected by ~ ——— 199
- as revealed by ~ ——— 198
- assay ————— 183, 195
- assembly ————— 70
- assess ————— 137, 226, 227
- assessment ————— 232
- assess the effect of ~ ——— 57
- assess the role of ~ ——— 22
- assess whether ~ ——— 42
- as shown by ~ ————— 194
- associated with ~ 141, 142, 202
- association ————— 136
- association between ~—— 123, 139
- assume ————— 59
- assumption ————— 157
- a stack of ~ ————— 213
- as the basis for ~ ——— 210
- as to ~ ————— 216
- as well as ~ ————— 211
- as with ~ ————— 217
- asymptomatic ————— 204
- asynchronous ————— 197
- at a concentration of ~ —— 227
- at a dose of ~ ————— 231
- at a rate of ~ ————— 242
- at high risk for ~ ——— 204, 238
- at least ————— 36, 145
- at least in part ——— 239
- attack ————— 164
- attempt ————— 44
- attendant ————— 169
- attenuate ————— 135
- at the beginning of ~ —— 225
- at the end of ~ ————— 232
- attributable ————— 114
- attributable to ~ ——— 114
- atypical ————— 145
- augment ————— 100, 185
- author ————— 130
- authority ————— 36
- autoimmune ————— 146
- autoimmune disease 23, 134, 214

☐ autonomic	199
☐ autophosphorylation	237
☐ available	159, 169, 172, 206, 224
☐ available for ~	109
☐ avian	197
☐ aware	181
☐ axial	213
☐ azide	185

B

☐ bacterial	230
☐ bactericidal activity	112
☐ bacterium	63, 89, 151, 198
☐ barium	196
☐ barrier	42, 164
☐ basal forebrain	93
☐ basal ganglia	194
☐ based on ~	145, 177
☐ basement membrane	108
☐ basis	127
☐ basis for ~	127
☐ because	168
☐ because of ~	172
☐ become	172, 218
☐ begin	218
☐ behavioral	116, 154
☐ believe	56
☐ believed to ~	56
☐ beneficial	235
☐ besides	196
☐ better than ~	236
☐ billion	234
☐ bind	95, 96
☐ binding	81, 100, 141, 195
☐ binding site	50
☐ bind to ~	68
☐ biochemical	120, 127
☐ biochemically	80
☐ biofilm	35
☐ biology	199
☐ biomarker	135
☐ biopsy	52

☐ biotechnology	172
☐ bleeding	49
☐ block	92
☐ blood	95
☐ blood flow	163
☐ blood glucose level	67
☐ blood group antigen	166
☐ blood pressure	167, 225
☐ blood vessel	31, 241
☐ body mass index	136, 138, 223
☐ bone	129
☐ bone formation	23
☐ bone marrow cell	138
☐ bone morphogenetic protein	227
☐ border	78
☐ bound to ~	128
☐ bovine	22
☐ bowel	196
☐ brain	43, 114, 171
☐ branch	203
☐ break	62
☐ breast	198
☐ breast cancer	28, 44, 65, 76, 206
☐ broad	184
☐ bronchial	142
☐ bronchiectasis	242
☐ bronchitis	242
☐ browser	217
☐ budding	198, 207
☐ buffer	141
☐ By contrast,	151
☐ by means of ~	238
☐ by use of ~	245

C

☐ calcium	34
☐ calcium influx	92
☐ call	62
☐ called	25, 62
☐ Calmodulin	69
☐ cancer	35
☐ candidate	24, 130
☐ capable of ~ ing	50, 70

- ☐ capacity ————— 36
- ☐ carbohydrate ————— 136
- ☐ carcinogen ————— 85
- ☐ carcinogenesis ————— 85
- ☐ carcinoma ————— 197
- ☐ cardiac ————— 172, 181
- ☐ cardiovascular disease — 87, 109
- ☐ careful ————— 225, 240
- ☐ carefully ————— 167
- ☐ caregiving ————— 202
- ☐ carry out ————— 43, 114
- ☐ cartilage ————— 67
- ☐ catalytic ————— 171
- ☐ catecholamine ————— 103
- ☐ causal ————— 196
- ☐ cause— 30, 70, 80, 142, 147, 168,
180, 182, 197, 245
- ☐ cause an increase in ~ ——— 22
- ☐ caused by ~ ————— 211, 217
- ☐ celiac disease ————— 124
- ☐ cell ————— 22
- ☐ cell cycle ————— 129, 230
- ☐ cell cycle progression ——— 56
- ☐ cell death ————— 235
- ☐ cell growth ————— 126, 225
- ☐ cell polarity ————— 132
- ☐ cell proliferation ————— 170
- ☐ cellular ————— 42, 82, 127, 240
- ☐ central nervous system — 64, 103
- ☐ cerebrovascular ————— 209
- ☐ certain ————— 166
- ☐ cervical ————— 239
- ☐ cervical cancer ————— 239
- ☐ challenge ————— 47
- ☐ change ————— 171
- ☐ change in ~ — 82, 124, 151, 244
- ☐ channel ————— 74
- ☐ characterization ————— 208
- ☐ characterize — 133, 231, 235
- ☐ chemokine ————— 34
- ☐ chemotherapy — 46, 52, 129,
213, 216, 231
- ☐ chest ————— 187
- ☐ chlamydial ————— 238
- ☐ Chlamydia pneumoniae ——— 27
- ☐ choice ————— 151
- ☐ cholinergic ————— 93
- ☐ chromium ————— 106
- ☐ chromosome ————— 62, 73, 130
- ☐ chronic ————— 123, 242
- ☐ chronically ————— 82
- ☐ chronically infected ——— 82
- ☐ chronic bronchitis ——— 142
- ☐ chronic rejection ——— 58
- ☐ circadian ————— 38, 47
- ☐ circadian clock ————— 125
- ☐ circulate ————— 144
- ☐ circulation ————— 144
- ☐ circumstance ————— 166
- ☐ circumvent ————— 224
- ☐ class ————— 123
- ☐ clear ————— 82, 237
- ☐ clearly ————— 175, 177
- ☐ clearly defined ————— 83
- ☐ cleft ————— 101
- ☐ clinical ————— 112, 124, 143,
150, 208, 239
- ☐ clinically ————— 97, 202
- ☐ clinical trial ————— 130
- ☐ clock ————— 237
- ☐ closely ————— 74
- ☐ closely related ————— 74
- ☐ cochlea ————— 197
- ☐ cognitive ————— 149
- ☐ cognitive development ——— 80
- ☐ cognitively ————— 219
- ☐ coimmunoprecipitation — 192
- ☐ coincident ————— 115
- ☐ coincident with ~ ——— 115, 171
- ☐ collectively ————— 127
- ☐ colocalize ————— 156
- ☐ colon ————— 37, 85
- ☐ colon cancer ————— 28
- ☐ colonic ————— 49
- ☐ colorectal cancer ——— 53, 86
- ☐ combat ————— 162
- ☐ combination ————— 165
- ☐ combination therapy ——— 165
- ☐ combined treatment ——— 64
- ☐ commercially available ——— 107

☐ commitment	75	☐ Consequently,	103
☐ common	114	☐ conserve	73
☐ commonly	63	☐ consider	193, 208
☐ common to ~	231	☐ considerably	230
☐ communication	153	☐ considered to be ~	57
☐ comparable	113	☐ consistent with ~	114
☐ comparable to ~	113	☐ consist of ~	26, 66
☐ comparative	83	☐ constitute	234
☐ compare	52	☐ constitutively	85
☐ compared to ~	66	☐ constitutively active	85
☐ compared with ~	52, 193	☐ contain	81, 137, 226
☐ Compared with ~	187	☐ contaminant	208
☐ compatible	115	☐ contemporary	208
☐ compatible with ~	115, 147	☐ contrary to ~	157
☐ compelling	127	☐ contribute	42
☐ compensation	241	☐ contribute to ~	42, 55, 125, 172, 174, 233
☐ competence	82	☐ contribution	126
☐ complete	202	☐ control	73, 84, 129, 182, 188, 193, 199
☐ completely	77	☐ controversial	243
☐ completely blocked	77	☐ Conversely,	102
☐ complex	70, 81, 83, 122, 217	☐ conversion	23
☐ complexed with ~	81	☐ cooperativity	228
☐ complex with ~	144	☐ coordinately	31
☐ complication	36, 147, 181	☐ copper	106
☐ component	207	☐ coronary heart disease	182, 204
☐ compound	227	☐ correlate	53, 216
☐ comprehensive	130, 203	☐ correlated with ~	53
☐ comprise	215	☐ correlation	124
☐ computed tomography	113	☐ correlation between ~	124
☐ computer-based	150	☐ corresponding	88
☐ concentration	158, 185, 212, 223, 232	☐ cortically	82
☐ concept	195	☐ corticosterone	170
☐ concern	146	☐ cost	234
☐ concerning	175	☐ country	75, 202
☐ conclude	36	☐ critical	57, 140, 175
☐ conclude that ~	36	☐ critical for ~	122
☐ concomitant	116	☐ crop	25
☐ concomitant with ~	93, 116	☐ cross	106
☐ condition	88	☐ cross-sectional	196
☐ conduct	31	☐ crucial	108
☐ confirm	111	☐ crucial for ~	108
☐ confirm that ~	37	☐ crystal structure	227
☐ conformation	171	☐ cure	169
☐ congenital	62, 111, 226		

- current ————— 24, 208
- currently ————— 61
- currently available ——— 151
- cutaneous ————— 196
- cycle ————— 171
- cyclin ————— 56
- cystic fibrosis ————— 66
- cytokine ————— 100, 138, 151
- cytologic ————— 239
- cytology ————— 187
- cytoplasm ————— 29
- cytoplasmic ————— 156
- cytotoxic T-lymphocyte — 141
- cytotoxin ————— 121

D

- damage ————— 64, 144, 194
- damaged ————— 175
- data ————— 31
- data for ~ ————— 204
- data from ~ ————— 136
- data on ~ ————— 139
- deal with ~ ————— 218
- death — 40, 133, 146, 182, 238
- decade ————— 54, 68
- decision ————— 239
- decline ————— 239
- decrease ————— 34, 170
- decreased ————— 162, 194
- decrease in ~ ————— 34, 128
- defect ————— 82, 88
- defective ————— 42
- defense ————— 42
- defense against ~ ——— 121, 125
- deficiency ————— 110, 226
- define ————— 194
- degradation ————— 25, 108
- degree ————— 164
- delay ————— 245
- dementia ————— 194, 202
- demographics ————— 84
- demonstrate ————— 22, 192

- demonstrate that ~ — 35, 102, 174, 240
- demonstrate the presence of ~ 23
- depend ————— 36
- dependence ————— 141
- dependence on ~ ————— 141
- dependent ————— 76
- dependent on ~ ————— 111
- depend on ~ ————— 36, 66
- depression — 179, 202, 214
- deprivation ————— 165
- derive ————— 49
- derived from ~ ————— 49
- descendant ————— 193
- describe ————— 231
- design ————— 58, 130
- design to ~ ————— 58
- despite ~ ————— 158
- destruction ————— 89, 243
- detail ————— 196
- detect ————— 22, 103, 114
- detected in ~ ————— 87
- determination ————— 132, 218
- determine — 23, 127, 205
- determine the effect of ~ — 23
- determine whether ~ — 65, 107
- detoxify ————— 29
- deuterostome ————— 74
- develop — 69, 127, 135, 169, 172, 202, 232
- developed ————— 29
- developing country ——— 73
- development — 41, 57, 64, 79, 99, 196, 233, 245
- developmental ————— 109
- developmentally ————— 78
- developmentally regulated — 78
- dextrose ————— 128
- diabetes ————— 142
- diagnose ————— 52
- diagnosis ————— 35, 122, 173
- diagnostic ————— 109
- diagnostic test — 109, 112, 169
- diarrhea ————— 238
- diarrheal ————— 73

☐ die ————— 164
☐ die of ~ ————— 162
☐ dietary ————— 136
☐ differ ————— 63
☐ difference ————— 65, 84
☐ difference between ~ — 124
☐ difference in ~ — 137, 223, 233
☐ different ————— 185, 229
☐ different from ~ ————— 110
☐ differential ————— 232
☐ differential diagnosis — 161, 176
☐ differentially ————— 75
☐ differentially expressed — 75
☐ differentiate ————— 65
☐ differentiate into ~ — 65
☐ differentiation ————— 131
☐ differentiation pathway — 244
☐ differ from ~ ————— 63
☐ difficult ————— 218
☐ difficulty ————— 194
☐ directly ————— 91
☐ directly by ~ ————— 91
☐ disagreement ————— 156
☐ discontinuous ————— 125
☐ discover ————— 49
☐ discovery ————— 124
☐ discuss ————— 229
☐ disease — 61, 70, 73, 100, 168,
 174, 187, 209, 210,
 225, 234, 238
☐ disease pathogenesis — 173
☐ disease resistance — 25
☐ display ————— 141, 187
☐ distant metastasis — 108
☐ distinct ————— 41, 233
☐ distinct from ~ ————— 110
☐ distinctly ————— 88
☐ distinguish ————— 169
☐ distribute ————— 73
☐ DNA binding ————— 107, 223
☐ DNA sequence ————— 26
☐ doctor ————— 169
☐ domain ————— 66, 237
☐ dominant-negative — 79
☐ dopamine ————— 136

☐ dose ————— 66, 185, 245
☐ dose-dependent ————— 212
☐ double-blind ————— 114
☐ Down's syndrome — 42
☐ downstream ————— 67
☐ dramatically ————— 185
☐ drastic ————— 197
☐ drive ————— 171
☐ drowsiness ————— 48
☐ drug ————— 112
☐ drug dependence — 154
☐ drug dose ————— 111, 159
☐ drug interaction — 189
☐ drug response — 142, 161, 207
☐ drug therapy — 163
☐ due to ~ — 135, 173, 239
☐ duration ————— 240
☐ during the course of ~ — 230
☐ during the process of ~ — 240
☐ dynamic ————— 184
☐ dynamics ————— 224
☐ dysfunction — 39, 125, 172
☐ dystrophic ————— 232

E

☐ each ————— 162
☐ each other ————— 229
☐ earlier ————— 198
☐ earliest ————— 231
☐ early — 57, 154, 158, 165
☐ echocardiography — 138
☐ economically — 25
☐ effect — 92, 131, 195, 208, 235
☐ effective — 25, 80, 131, 152,
 159, 165
☐ effect of ... on ~ — 129, 168
☐ effect on ~ — 43, 100, 144
☐ effector ————— 70
☐ efficacy — 192, 216, 224
☐ efficient ————— 42
☐ ejection fraction — 138
☐ elemental ————— 95
☐ elevate ————— 193

- elimination ————— 115
- ELISA ————— 193
- elongation ————— 22
- elucidate ————— 134
- elucidate the mechanism — 23
- embark ————— 208
- embryo ————— 243
- embryogenesis ————— 62
- embryonic ————— 65, 164
- emphasis ————— 167
- emphasize ————— 142
- enable ————— 30, 205
- encode ————— 55, 140
- endocrine ————— 189
- endogenous ————— 36
- endometrial ————— 52
- endothelial ————— 138
- endothelial cell ————— 27, 94
- energy ————— 128
- engineer ————— 96
- enhance ————— 50, 138
- enhanced ————— 185, 237
- enhancement ————— 232
- enlargement ————— 198
- enteric ————— 74
- environment ————— 125, 147
- environmental ————— 62
- environmental factor — 193, 217
- enzymatic ————— 102
- enzyme — 29, 80, 109, 120, 129, 141, 171, 208, 228
- epidemic ————— 123
- epidemiologic ————— 37
- epidemiologic study — 37
- epidermal ————— 107
- epidermal growth factor receptor ————— 51
- epithelial — 28, 75, 197, 235
- epithelial cell ————— 100, 164
- epithelium ————— 63
- equal ————— 87
- error ————— 62
- essential ————— 106
- essential for ~ ————— 106
- establish 58, 154, 177, 207, 229
- estimate ————— 36, 234
- estimate that ~ ————— 36
- estrogen ————— 76
- estrogen receptor — 155, 226
- estrogen replacement — 214
- ethnic ————— 233
- ethnically ————— 73
- ethnic group ————— 111
- ethnicity ————— 138
- etiologic agent ————— 62
- etiology ————— 24, 193
- evaluate — 58, 85, 123, 126, 224
- evaluate the effect of ~ — 24
- evaluate whether ~ — 42
- evaluation ————— 109, 112
- evasion ————— 32
- even if ~ ————— 176
- event ————— 47, 67, 180
- even though ————— 153
- evidence — 194, 198, 206, 233, 234, 240
- evidence ————— 49
- evidence-based medicine — 210
- evidence for ~ ————— 127
- evidence that ~ — 199, 236
- evident ————— 35, 109
- evoke ————— 168
- evolution — 140, 231, 237
- exacerbate ————— 187
- exaggerate ————— 241
- examination — 27, 149
- examine ————— 155, 182
- examine the role of ~ — 24
- examine whether ~ — 41
- excellent ————— 132
- exception ————— 227
- excitatory amino acid — 86
- exclusive ————— 157
- exclusively ————— 94
- exclusively in ~ — 94
- excrete — 95, 218
- excretory ————— 205
- exercise ————— 244
- exercise tolerance testing — 204
- exert ————— 43, 100

☐ exhibit — 66, 121, 184, 185, 197
☐ exist — 65
☐ exist in ~ — 65
☐ expand — 242
☐ expect — 54
☐ expected for ~ — 110
☐ expected to ~ — 54, 79, 203
☐ experiment — 224, 232
☐ experimental — 84
☐ experimentally — 83
☐ experimentally determined — 83
☐ explain — 28, 92, 157, 177
☐ explanation — 134
☐ explanation for ~ — 134
☐ explore — 168
☐ exposure — 43, 48, 196
☐ exposure to ~ — 41
☐ express — 85, 93, 94, 100, 155
☐ expressed in ~ — 74
☐ expressed on ~ — 51
☐ expression — 97, 113, 195, 197, 244
☐ expression by ~ — 126
☐ extensive — 158
☐ extensively — 82
☐ extensively studied — 82
☐ external — 125, 172
☐ extracellular — 223
☐ extracellular matrix — 50
☐ extremely — 112

F

☐ facilitate — 102
☐ fact — 177
☐ factor — 30, 81, 93, 156, 172
☐ fail — 69
☐ fail to ~ — 69
☐ fall — 211, 225
☐ family — 177
☐ family history — 225
☐ fat — 53
☐ fatty acid synthase — 77
☐ feature — 111, 143
☐ fecal — 73, 137

☐ feces — 95
☐ feeding — 185
☐ female — 89, 186
☐ femur — 65
☐ fertilize — 69
☐ fetal — 35, 62, 75, 103
☐ few — 43
☐ FGF — 92
☐ fibril — 95
☐ fibroblast — 50, 164
☐ fibrosis — 28
☐ film — 187
☐ filtrate — 49
☐ Finally, — 99
☐ find — 53, 100
☐ finding — 28, 34, 114, 115, 129, 134, 146, 170, 225, 229, 234, 237
☐ fine — 87
☐ fission yeast — 132
☐ flow cytometry — 198
☐ fluorescence — 183
☐ fluorine — 106
☐ focus — 67
☐ focus on ~ — 67
☐ follow — 244
☐ followed by ~ — 48
☐ follow up — 213
☐ food — 122
☐ food intake — 77, 188
☐ for example — 233
☐ for instance — 236
☐ form — 94, 144, 152, 214, 226, 228, 236
☐ formate — 185
☐ formation — 32, 35, 153, 231
☐ former — 186
☐ for the first time — 244
☐ for the purpose of ~ — 241
☐ found to ~ — 51, 85, 87, 95, 96, 97, 107, 111, 137, 138, 213
☐ fragment — 96
☐ frail — 218
☐ frequent — 211
☐ frequently — 228

- full ————— 78
- fully ————— 81
- function — 35, 43, 70, 140, 143,
173, 209, 226, 234
- functional — 50, 114, 150, 216
- functioning ————— 155
- fundamental ————— 166
- fungus ————— 63
- further — 22, 42, 129, 227
- Further, ————— 164
- furthermore, ————— 164
- future ————— 99, 130

G

- gain ————— 126
- galanin ————— 93
- gastric ————— 193
- gastroenteritis ————— 49
- gastrointestinal ————— 216
- gene ————— 24
- gene expression — 28, 88, 93, 184,
205, 223, 240
- gene for ~ ————— 130
- general ————— 159
- generally ————— 59, 245
- generate ————— 25, 130
- generation ————— 168
- gene-specific ————— 195
- gene therapy ————— 99
- genetic — 126, 132, 177, 199
- genetically ————— 146, 233
- genetically engineered ————— 79
- genetic disease ————— 139
- genetic factor — 142, 147, 206
- genetic interaction ————— 130
- genital ————— 91, 164
- genital herpes ————— 29
- genome ————— 217
- genomic ————— 38
- gestation ————— 41
- Given ————— 177
- give rise to ~ ————— 235
- gland ————— 189

- glucosamine ————— 235
- glucose ————— 212
- glutamate receptor ————— 92
- glycogen synthase kinase — 227
- G protein ————— 66
- G protein-coupled receptor — 23
- graft ————— 22
- great ————— 47, 132
- greater ————— 37
- greater than ~ ————— 181
- group — 81, 84, 112, 137
- growth — 103, 115, 197, 199
- growth factor ————— 50, 92
- growth hormone secretagogue — 236
- GTPase ————— 66

H

- haplotype ————— 236
- haptoglobin ————— 144
- harmful ————— 166
- have a role in ~ ————— 25
- have the potential to ~ — 25
- HBV ————— 204
- head ————— 180
- headache ————— 48, 64
- health ————— 106, 122
- healthy — 136, 137, 151
- heart ————— 74, 189
- heart disease ————— 133
- heart failure ————— 127
- helical ————— 66
- help ————— 112
- helper T cel ————— 166
- help to ~ ————— 112, 234
- hemodialysis ————— 209
- hemoglobin ————— 144
- hence ————— 161
- hepatitis ————— 175
- here ————— 42
- hereditary ————— 225
- heritable ————— 172
- hierarchical ————— 114
- high ————— 26, 103

☐ higher ————— 66
☐ higher than ~ ————— 181
☐ highlight ————— 129
☐ highly conserved ————— 73
☐ highly susceptible ————— 85
☐ hink ————— 56
☐ hippocampal ————— 214
☐ Hispanic ————— 186
☐ histologic ————— 232
☐ histologically ————— 189
☐ histology ————— 113
☐ histone ————— 56
☐ HIV ————— 40, 109, 164
☐ hold ————— 157
☐ homolog ————— 207
☐ homology ————— 143
☐ homology to ~ ————— 143
☐ homozygous ————— 109
☐ homozygous for ~ ————— 109
☐ hopefully ————— 131
☐ hormone ————— 181, 205, 226
☐ hormone receptor ————— 51
☐ hospital ————— 234
☐ host ————— 125
☐ host-derived ————— 122
☐ However, ————— 148
☐ human ————— 24, 68, 100
☐ human herpesvirus ————— 91
☐ human immunodeficiency virus — 53
☐ human leukocyte antigen — 123
☐ humans ————— 75
☐ human T-cell leukemia virus — 97
☐ hyaluronan ————— 137
☐ hybridization ————— 232
☐ hydrophobic ————— 26
☐ hygiene ————— 73
☐ hypothalamic ————— 38
☐ hypothesis ————— 58, 101
☐ hypothesize ————— 38

☐ ideal ————— 166
☐ identical ————— 113

☐ identical to ~ ————— 113
☐ identifiable ————— 123
☐ identification ————— 139
☐ identified as ~ ————— 106
☐ identified in ~ ————— 130
☐ identify ————— 32, 44, 47, 75, 112, 132, 169, 204, 238
☐ If ————— 176
☐ illness ————— 161
☐ image ————— 213
☐ imaging ————— 173, 196
☐ immediate ————— 34, 36
☐ immediately ————— 244
☐ immobilization ————— 244
☐ immune ————— 82
☐ immune cell ————— 241
☐ immune response ————— 166, 185
☐ immune system ————— 162
☐ immunization ————— 202
☐ immunochemical ————— 41
☐ immunocompromised patient — 70
☐ immunocytochemistry ————— 197
☐ immunodeficient ————— 121
☐ immunosuppressive ————— 91
☐ immunosuppressive therapy — 165
☐ impact ————— 139
☐ impact on ~ ————— 139
☐ impair ————— 142, 154, 219
☐ impairment ————— 194
☐ implicate ————— 207
☐ implicated in ~ ————— 50
☐ implication ————— 129
☐ implication for ~ ————— 130
☐ imply ————— 34
☐ imply that ~ ————— 34
☐ important — 25, 35, 77, 129, 193
☐ important for ~ ————— 22, 107
☐ improve ————— 64, 79, 99, 116
☐ improvement ————— 73, 188
☐ in accordance with ————— 170
☐ inactive ————— 227
☐ In addition, ————— 165
☐ in addition to ~ ————— 172
☐ in agreement with ~ ————— 170
☐ in a manner similar to ~ — 238

- ☐ in an attempt to ~ ——— 224
- ☐ in an effort to ~ ——— 231
- ☐ in association with ~ ——— 145
- ☐ incidence ——— 89, 106, 135, 194
- ☐ in close proximity to ~ ——— 241
- ☐ include ——— 37
- ☐ in combination with ~ ——— 226, 245
- ☐ in common with ~ ——— 226
- ☐ in comparison with ~ ——— 188
- ☐ in complex with ~ ——— 227
- ☐ In conclusion, ——— 175
- ☐ inconclusive ——— 139
- ☐ in conjunction with ~ ——— 228
- ☐ in contact with ~ ——— 229
- ☐ In contrast, ——— 151
- ☐ in contrast to ~ ——— 156
- ☐ incorporation ——— 138
- ☐ incorporation into ~ ——— 138
- ☐ increase — 33, 54, 97, 165, 189
- ☐ increased ——— 106, 116, 142, 170, 173
- ☐ increased ~ -fold ——— 185
- ☐ increase in ~ ——— 33, 116, 188
- ☐ increase the rate of ~ ——— 26
- ☐ increasing ——— 194, 240
- ☐ indeed ——— 165
- ☐ independent ——— 180
- ☐ independent of ~ ——— 111, 147
- ☐ indicate ——— 26
- ☐ indicate that ~ — 28, 34, 92, 233
- ☐ indicate the presence of ~ ——— 26
- ☐ indication ——— 162
- ☐ indicator ——— 238
- ☐ indispensable ——— 225
- ☐ indistinguishable ——— 216
- ☐ indistinguishable from ~ 97, 110
- ☐ individual ——— 80, 157, 230
- ☐ induce ——— 146, 153, 163, 244
- ☐ induced by ~ ——— 113
- ☐ induce the expression of ~ — 27
- ☐ industrial ——— 48
- ☐ ineffective ——— 166
- ☐ inefficient ——— 31
- ☐ in excess of ~ ——— 234
- ☐ in fact ——— 97, 166
- ☐ in favor of ~ ——— 234, 244
- ☐ infect ——— 40
- ☐ infected ——— 27, 100, 162, 163
- ☐ infected with ~ ——— 40, 53
- ☐ infection — 30, 97, 125, 142, 149, 164, 204, 238, 241
- ☐ infectious ——— 49
- ☐ infer ——— 50
- ☐ inferred from ~ ——— 50
- ☐ inflammation ——— 228
- ☐ influence ——— 182, 200
- ☐ influence on ~ ——— 141
- ☐ influenza ——— 238
- ☐ information ——— 120
- ☐ information about ~ ——— 120
- ☐ information on ~ ——— 140
- ☐ infusion ——— 128
- ☐ in good agreement with ~ — 224
- ☐ inherent ——— 135
- ☐ inhibit ——— 151, 166
- ☐ inhibition ——— 83, 121, 212
- ☐ inhibition by ~ ——— 126
- ☐ inhibitor — 78, 79, 101, 209, 227
- ☐ in humans ——— 106
- ☐ initiation ——— 156
- ☐ injection ——— 181
- ☐ injure ——— 68
- ☐ injury ——— 180, 211, 240, 241
- ☐ in light of ~ ——— 237
- ☐ innate immune system ——— 125
- ☐ inner ——— 88
- ☐ inner ear ——— 88
- ☐ in order to ~ ——— 126
- ☐ in part ——— 235
- ☐ in place of ~ ——— 239
- ☐ in proportion to ~ ——— 240
- ☐ in response to ~ ——— 132, 164
- ☐ insight ——— 125, 126
- ☐ in spite of ~ ——— 158
- ☐ Instead, ——— 150
- ☐ insulate ——— 125
- ☐ insulin — 36, 68, 102, 185, 227
- ☐ insult ——— 121
- ☐ In summary, ——— 174
- ☐ intake ——— 53, 136, 146

☐ integral membrane protein— 55
☐ integration — 38
☐ integron — 198
☐ intense — 161
☐ interact — 69
☐ interaction — 127
☐ interaction between ~ — 85, 175
☐ interact with ~ — 69, 192
☐ Interestingly, — 100
☐ interface — 35
☐ interfere — 69
☐ interfere with ~ — 70
☐ interferon — 52, 100
☐ interindividual — 206
☐ interleukin — 121
☐ intermediate — 24
☐ in terms of ~ — 157
☐ interplay — 150, 217
☐ intestinal — 228
☐ in the absence of ~ — 223
☐ in the case of ~ — 225
☐ in the context of ~ — 31, 229
☐ in the face of ~ — 234
☐ in the form of ~ — 235
☐ in the future — 172
☐ in the presence of ~ — 240
☐ intracellular — 34, 69, 122, 150
☐ intraneuronal — 133
☐ intraperitoneal — 181
☐ intrinsic — 101, 203
☐ intrinsically — 123
☐ introduce — 150, 206
☐ investigate — 22, 126, 233
☐ investigate the effect of ~ — 27
☐ investigate whether ~ — 40
☐ investigation — 68, 125
☐ in view of ~ — 245
☐ in vitro — 27, 115, 158
☐ in vivo — 23, 43, 68, 115, 158
☐ involve — 47
☐ involved in ~ — 47, 56, 57, 69, 199, 225, 236
☐ iodine — 106, 146
☐ ion — 81
☐ ionic strength — 77, 141

☐ iritis — 228
☐ iron — 106, 181, 189
☐ ischemia — 164, 168
☐ ischemic — 138
☐ ischemic injury — 235
☐ isoflavone — 129
☐ isoform — 140
☐ it ... accepted that ~ — 59
☐ it ... assumed that ~ — 59
☐ it is suggested that ~ — 103

K

☐ key — 56
☐ kidney — 37, 93, 205, 235
☐ kinase — 23, 237
☐ knockdown — 170
☐ know — 86
☐ known — 30
☐ known as ~ — 69
☐ known to ~ — 25, 57, 61, 77, 143, 153, 189, 204, 228

L

☐ laboratory test — 159
☐ lack — 63, 110, 173
☐ largely — 68, 143
☐ larger — 87
☐ last — 41
☐ lasting — 43
☐ latent — 48
☐ late stage — 154
☐ latter — 186
☐ latter half — 171
☐ lead — 37, 48, 105
☐ leading — 180
☐ lead to ~ — 48, 67, 79, 128, 131, 225, 237
☐ lean — 77
☐ learn — 46
☐ learned about ~ — 46
☐ leprosy — 125
☐ leptin — 185

- lesion ————— 51, 134
- less than ~ ————— 180
- lethal ————— 30
- leukemia ————— 236
- leukemia inhibitory factor — 101
- level ————— 76
- liberate ————— 144
- ligand ————— 85
- likewise ————— 167
- limit ————— 41, 73, 163
- limited ————— 162, 177, 216
- lineage ————— 75
- lineage commitment ————— 76
- linearly ————— 97
- linearly with ~ ————— 97
- lines of evidence ————— 233
- link ————— 123, 124
- link between ~ ————— 124
- linked to ~ ————— 123
- lipid bilayer ————— 48
- littermate ————— 111, 212
- little ————— 144
- little is known about ~ — 153
- live ————— 75
- liver ————— 27
- liver disease ————— 159
- liver failure ————— 58
- living ————— 115
- local ————— 108, 241
- localize ————— 131
- localized ————— 217
- locate ————— 51
- located in ~ ————— 51
- location ————— 205
- locus ————— 156
- long ————— 203
- longitudinally ————— 213
- long-term ————— 158
- loop ————— 77
- lose ————— 38
- loss ————— 116, 141, 226
- loud ————— 24
- low ————— 185
- lower ————— 91
- lower than ~ ————— 181

- lung ————— 41
- lung cancer ————— 131, 187, 240
- lupus erythematosus — 180
- Lyme disease ————— 123
- lymphangioliomyomatosis — 94
- lymphoma ————— 51

M

- machinery ————— 207
- macrophage ————— 31
- magnesium ————— 81
- magnetic resonance imaging 194
- main ————— 46
- mainly ————— 95
- mainly in ~ ————— 95
- maintain ————— 77, 223
- major ————— 111, 149, 205
- major histocompatibility complex 140
- make it possible to ~ — 150, 213
- male ————— 89, 186
- malignancy ————— 245
- malignant — 28, 63, 108, 235
- mammalian — 46, 77, 154
- mammary ————— 235
- manganese ————— 106
- manifestation ————— 238
- manner ————— 88, 114
- map ————— 130
- MAP kinase ————— 38
- mapping ————— 50
- markedly ————— 187, 193
- markedly reduced ————— 76
- marker ————— 123
- maternal ————— 23, 35
- matter ————— 87
- maturation ————— 88, 114
- maximal ————— 171
- maximum ————— 212
- mean ————— 122
- mean age ————— 198
- measles ————— 202
- measure ————— 167

- ☐ mechanism ————— 38
- ☐ mechanism by which ~ — 125
- ☐ mediate ————— 56
- ☐ mediated ————— 82
- ☐ medical ————— 233
- ☐ medical care ————— 233
- ☐ medication ————— 189
- ☐ melanoma ————— 28, 145, 196
- ☐ member ————— 38
- ☐ membrane ————— 95, 168
- ☐ membrane protein ————— 77
- ☐ memory T cell ————— 68
- ☐ menopausal ————— 180
- ☐ menopause ————— 182
- ☐ mental ————— 149
- ☐ mercury ————— 95
- ☐ metabolic ————— 101, 147, 157
- ☐ metabolism ————— 31, 103, 172
- ☐ metallothionein ————— 128
- ☐ metastatic ————— 134
- ☐ method ————— 113, 131, 132, 206, 210, 213
- ☐ method for ~ ————— 127, 232
- ☐ MHC ————— 126
- ☐ microbial ————— 208
- ☐ microorganism ————— 32, 241
- ☐ microtubule-associated protein — 139
- ☐ microvascular endothelial cell 68
- ☐ migraine headache ————— 37
- ☐ migration ————— 78
- ☐ million ————— 36
- ☐ minicircle ————— 96
- ☐ mismatched ————— 166
- ☐ mite ————— 61
- ☐ mitochondria ————— 174
- ☐ mitogen-activated protein kinase — 115
- ☐ mitral ————— 229
- ☐ mobilization ————— 138
- ☐ model ————— 108
- ☐ model for ~ ————— 23
- ☐ modification ————— 227, 240
- ☐ modulate ————— 34, 55, 175
- ☐ molecular ————— 48
- ☐ molecular basis ————— 140
- ☐ molecular dynamics ————— 224
- ☐ molecular function ————— 237
- ☐ molecular interaction ————— 48
- ☐ molecular mechanism ————— 131
- ☐ molecule ————— 27, 173
- ☐ monitor ————— 67
- ☐ monitoring ————— 161
- ☐ monoclonal ————— 59
- ☐ monoclonal antibody — 107, 143
- ☐ more ————— 131
- ☐ more likely to ~ ————— 82
- ☐ Moreover, ————— 165
- ☐ more than ~ ————— 179
- ☐ mortality ————— 87, 165, 188
- ☐ mortality rate ————— 66
- ☐ mosaic ————— 32
- ☐ most ————— 70, 161
- ☐ most likely ————— 37
- ☐ motif ————— 143
- ☐ motor ————— 233
- ☐ mouse ————— 66
- ☐ mouse model ————— 24
- ☐ mRNA ————— 25
- ☐ much ————— 46
- ☐ much greater ————— 228
- ☐ much larger ————— 87
- ☐ multiple ————— 171
- ☐ multiple sclerosis ————— 217
- ☐ murine ————— 164
- ☐ muscle ————— 102, 172
- ☐ muscle mass ————— 244
- ☐ mutant — 30, 79, 97, 116, 132, 134, 197, 206
- ☐ mutate ————— 88
- ☐ mutation — 24, 26, 34, 39, 73, 102, 163, 237
- ☐ mutually ————— 157
- ☐ mutually exclusive ————— 88
- ☐ mycoplasmal ————— 98
- ☐ Mycoplasma pneumoniae — 97
- ☐ myocardium ————— 138
- ☐ myogenesis ————— 81

N

- ☐ nausea ————— 48
- ☐ nearly ————— 113
- ☐ necessary ————— 107
- ☐ necessary for ~ ——— 78, 107
- ☐ necrosis ————— 235
- ☐ need ————— 129, 161, 178, 227
- ☐ need for ~ ————— 129
- ☐ need to ~ ————— 167
- ☐ negative ————— 223
- ☐ negatively ————— 93
- ☐ negative-strand RNA ——— 135
- ☐ nematode ————— 74
- ☐ nerve growth factor ——— 192
- ☐ nerve terminal ————— 136
- ☐ nervous system ——— 166, 174
- ☐ network ————— 34
- ☐ neural ————— 199
- ☐ neural crest ————— 57
- ☐ neural tube ————— 207
- ☐ neuroendocrine ————— 199
- ☐ neurofibroma ————— 155
- ☐ neuroma ————— 24
- ☐ neuron ————— 153, 197, 233
- ☐ neuronal ————— 33
- ☐ neuronal cell ————— 207
- ☐ neuropeptide ————— 93
- ☐ neuroscience ————— 166
- ☐ neurotropic ————— 91
- ☐ Nevertheless, ————— 149
- ☐ new ————— 27
- ☐ newborn infant ————— 111
- ☐ newly ————— 135
- ☐ newly synthesized ——— 76
- ☐ next ————— 54
- ☐ nicotine ————— 43
- ☐ noise ————— 24
- ☐ Nonetheless, ————— 149
- ☐ noninvasive ————— 113
- ☐ nonmammalian ————— 166
- ☐ normal ————— 48, 137, 149, 197
- ☐ normal cell ————— 31
- ☐ normally ————— 229
- ☐ note ————— 35

- ☐ note that ~ ————— 35
- ☐ not fully understood ——— 81
- ☐ not only ~ but also ... 103
- ☐ novel ————— 29, 57, 86, 130, 140, 172, 183, 217, 232
- ☐ now ————— 109
- ☐ N-terminal ————— 110
- ☐ nuclear hormone receptor — 226
- ☐ nuclear localization ——— 107
- ☐ nucleotide ————— 81
- ☐ nucleus ————— 29
- ☐ nude mouse ————— 235
- ☐ number ————— 116
- ☐ numerous ————— 139

O

- ☐ obese ————— 102
- ☐ obesity ————— 123, 188, 236
- ☐ objective ————— 65
- ☐ observation ————— 26, 115
- ☐ observational ————— 136
- ☐ observation that ~ ——— 145
- ☐ observe ————— 82, 88, 138, 184, 212
- ☐ observed for ~ ————— 49
- ☐ observer ————— 156
- ☐ obstruction ————— 196
- ☐ obstructive sleep apnea ——— 146
- ☐ obtain ————— 113, 213, 224
- ☐ obtained from ~ ——— 164
- ☐ occur ————— 41, 94, 97, 142, 226, 228, 240
- ☐ occur during ~ ————— 171
- ☐ occurrence ————— 35
- ☐ occur through ~ ——— 153
- ☐ offer ————— 127
- ☐ offspring ————— 231
- ☐ of paramount importance — 32
- ☐ often ————— 51
- ☐ old ————— 218
- ☐ older ————— 179, 236
- ☐ oligonucleotide ————— 28
- ☐ once ————— 177
- ☐ only ————— 155

□ onset	122, 198, 205
□ on the basis of ~	224
□ On the contrary,	151
□ on the order of ~	239
□ On the other hand,	152
□ oocyte	69
□ opportunistic infection	53
□ optimal	150
□ oral	74, 137, 224
□ organ	189, 205
□ origin	37, 59, 134
□ originate	64
□ originate from ~	64
□ orphan nuclear receptor	29
□ orphan receptor	94
□ osteoblast	192
□ osteoprogenitor	88
□ other	112
□ other than ~	182
□ outbreak	49
□ ovarian	121
□ ovarian cancer	139
□ ovary	78
□ overall	188
□ overreplication	197
□ overstimulation	92
□ over the course of ~	231
□ owing to ~	173
□ oxidation	128
□ oxidative	42, 168
□ oxygen	164
□ oxygenation	34

P

□ pacemaker	38, 47
□ pain	64, 241
□ pancreas	189
□ pancreatic	228
□ parenteral	208
□ Parkinson's disease	158
□ partially	80
□ partially purified	80
□ participate	64

□ participate in ~	64
□ particle	49
□ particular	112, 177, 197, 223
□ particularly	218
□ particulate	87
□ partnership	169
□ pass	35
□ patch	26
□ pathogen	74, 162
□ pathogenesis	55, 236
□ pathogenic	198
□ pathologic	37, 111
□ pathology	187, 203, 239
□ pathway	25, 31, 64, 132, 199
□ pathway for ~	133
□ patient	49
□ patient with ~	36, 38, 82, 109, 130, 209
□ pattern	28, 88, 113
□ peak	120, 171
□ penicillin	239
□ people	214
□ peptide	215
□ percent	155
□ perception	82
□ perform	83, 149, 244
□ performed on ~	52
□ perfuse	232
□ perhaps	93
□ perhaps by ~	93
□ period	48, 62
□ peripheral	64, 86
□ peripheral vascular resistance	225
□ per se	147
□ person	53
□ per year	242
□ phagocytosis	31
□ pharmacopoeia	208
□ phenotype	97, 116
□ phorbol ester	59
□ phosphate	81
□ phospholipase	31
□ phospholipid	168
□ phosphorylation	225
□ phosphotyrosine	102

- photoreceptor ————— 232
- phylogenetic ————— 163
- physical ————— 167, 180
- physically ————— 192
- physician — 35, 150, 154, 160,
169, 176, 218, 237
- physiologic ————— 77
- physiological ————— 229
- physiologically — 85, 216
- physiologically relevant — 85
- pig ————— 22
- pilot ————— 80
- pineal gland ————— 125
- pituitary ————— 226
- place ————— 167
- placebo ————— 192
- placenta ————— 106
- plasma ————— 128, 170
- plasma cell ————— 199
- platelet ————— 209
- platform ————— 166
- plausible ————— 134
- play an important role in ~ —
103, 223
- play a role in ~ ————— 129
- pluripotent ————— 101
- pneumonia — 162, 238, 242
- point mutation ————— 62
- poisoning ————— 37
- poliovirus ————— 137
- pollution ————— 87
- polymerase ————— 97
- polymorphism — 139, 140
- polyp ————— 245
- poorly ————— 148
- poorly understood — 67, 148, 173
- population — 70, 73, 110, 157,
206, 213, 242
- positive ————— 109
- positive for ~ ————— 109
- positively charged ————— 77
- positivity ————— 89
- possibility — 22, 160, 176
- possible ————— 124
- possibly ————— 91
- possibly by ~ ————— 91
- postgenomic ————— 135
- postnatal ————— 76
- posttranslational modification — 108
- posttreatment ————— 123
- postulate ————— 55
- postulated to ~ ————— 55
- potency ————— 185
- potent ————— 209
- potential — 50, 154, 245
- potential for ~ ————— 132
- potentially ————— 174
- potentially important — 86
- potently ————— 151
- poxvirus ————— 230
- practical ————— 206
- practicing physician — 181
- predict ————— 55
- predicted to ~ ————— 55
- prediction ————— 47
- predictor ————— 180
- predispose ————— 146
- predominantly ————— 94
- predominantly in ~ ————— 94
- preferentially ————— 96
- preferentially to ~ ————— 96
- pregnancy ————— 225
- premenopausal ————— 94
- prenatal ————— 41
- prepare ————— 52, 70
- preschool ————— 49
- present — 35, 58, 120, 130, 154
- present evidence — 230
- preserve ————— 234
- presumably ————— 92
- presumably by ~ ————— 92
- presume ————— 55
- presumed to ~ ————— 55
- prevalence ————— 73
- preventive ————— 158
- previous ————— 96
- previously — 29, 122, 177, 195
- Previously, ————— 102
- previously reported — 74
- primarily ————— 93

□ primarily in ~	93
□ primarily responsible for ~	89
□ primary	37
□ primate	114
□ priming	68
□ prion	23, 133
□ proapoptotic	113, 121
□ probably	150, 162, 240
□ probe	232
□ problem	149, 166
□ proceed	114
□ process	131, 153, 231, 232
□ processivity	77
□ produce	62, 192
□ product	51, 208
□ production	50, 100, 243
□ profound	139, 244
□ progenitor cell	138, 175
□ progesterone receptor	155
□ progress	99
□ progression	187
□ prokaryote	231
□ proliferation	31, 75, 94, 151, 207
□ prolonged	202
□ prominent	204
□ promising	67
□ promote	32
□ promoter	230
□ promoter activity	78
□ prompt	135
□ property	101, 141, 157
□ prophylaxis	75
□ proportion	26
□ propose	29, 159
□ prostate cancer	92, 130
□ protease	89, 133
□ protect	61
□ protect against ~	61, 238
□ protection	121
□ protection against ~	121
□ protein	50
□ protein kinase	59, 85
□ protein-protein interaction	55
□ protein structure	47
□ proteinuria	111

□ prove	80
□ provide	120, 125, 127, 134, 140, 164, 166, 183, 236
□ provide a mechanism	28
□ provide evidence	28
□ provoke	208
□ proximal	49
□ psychological	241
□ puberty	93, 198
□ publish	233
□ purify	80
□ purulent	242
□ putative	100
□ put forward	101

Q

□ quantitative	127
□ quantitatively	57
□ questionnaire	238

R

□ race	133
□ racial	233
□ radiation	196
□ radiography	196
□ radiotherapy	216
□ raise	163, 190
□ raise the possibility that ~	77
□ raise the question of ~	242
□ randomized	114
□ range	184
□ rapid	113
□ rapid eye movement	157
□ rapidly	96
□ rapidly induced	82
□ rare	225
□ rat	75
□ rate	33, 181, 186, 239
□ rate-limiting	176
□ rather than ~	82, 180
□ rationally	177
□ rat model	58

- ☐ react ————— 70
- ☐ reaction ————— 41, 176
- ☐ reactive oxygen species 122, 168
- ☐ react with ~ ————— 70
- ☐ readily ————— 106
- ☐ rearrangement ————— 243
- ☐ reason ————— 242
- ☐ receive ————— 137
- ☐ recent ————— 131, 237
- ☐ recently ————— 233
- ☐ Recently, ————— 101
- ☐ receptor ————— 56, 68, 86, 110, 227, 236
- ☐ receptor for ~ ————— 59
- ☐ recipient ————— 167
- ☐ recognize ————— 158
- ☐ recombinant ————— 79, 96
- ☐ recombination ————— 26
- ☐ recommend ————— 245
- ☐ recommendation ————— 159
- ☐ record ————— 67
- ☐ red cell ————— 128, 144
- ☐ reduce ————— 28
- ☐ reduced ————— 141
- ☐ reduce the number of ~ ————— 29
- ☐ reduction ————— 116
- ☐ reduction in ~ ————— 138, 197
- ☐ regard ————— 46, 238
- ☐ regarded as ~ ————— 46
- ☐ regarding ~ ————— 158
- ☐ regeneration ————— 67
- ☐ region ————— 101, 130, 199
- ☐ regulate 31, 74, 78, 86, 93, 103
- ☐ regulate the expression of ~ — 29
- ☐ regulation ————— 223
- ☐ regulator ————— 56
- ☐ regulatory ————— 81, 181
- ☐ rejection ————— 126, 149
- ☐ relate ————— 162
- ☐ related to ~ ————— 162
- ☐ relationship ————— 122
- ☐ relationship between ~ — 122
- ☐ relative ————— 205
- ☐ relatively ————— 103, 144
- ☐ relatively little ————— 86
- ☐ relative to ~ ————— 188
- ☐ relaxation ————— 163
- ☐ release ————— 136
- ☐ release from ~ ————— 136
- ☐ relevant ————— 39
- ☐ relevant to ~ ————— 39
- ☐ relieve ————— 163
- ☐ rely on ~ ————— 67
- ☐ remain — 68, 74, 82, 101, 136, 143, 148, 154, 173, 175
- ☐ remarkable ————— 27, 121
- ☐ remarkably ————— 88
- ☐ remarkably similar ————— 88
- ☐ removal ————— 197
- ☐ remove ————— 245
- ☐ REM sleep ————— 157
- ☐ renal ————— 111
- ☐ renal artery ————— 203
- ☐ renal cell carcinoma ————— 177
- ☐ renal disease ————— 159
- ☐ renal dysfunction ————— 240
- ☐ renal failure ————— 209
- ☐ renewal ————— 107
- ☐ repair ————— 67, 240
- ☐ repeated ————— 138
- ☐ repertoire ————— 141
- ☐ replacement therapy ————— 80
- ☐ replicate ————— 215
- ☐ replication ————— 122, 135
- ☐ report — 42, 96, 109, 122, 177, 196
- ☐ reported to ~ — 53, 152, 165, 179, 186, 207
- ☐ report the identification of ~ — 29
- ☐ represent ————— 198
- ☐ reproduce ————— 63, 214
- ☐ reproducible ————— 113
- ☐ require ————— 210, 240, 243
- ☐ required for ~ ————— 48, 181
- ☐ required to ~ ————— 42
- ☐ requirement ————— 128
- ☐ requirement for ~ ————— 128
- ☐ research ————— 158, 243
- ☐ reservoir ————— 61
- ☐ residue — 26, 73, 100, 107, 215
- ☐ resistance — 140, 163, 228, 245

□ resistance to ~	142, 213
□ resistant	133
□ resistant to ~	112
□ resorption	83
□ respiratory	63, 161
□ respond	96
□ respond to ~	68, 125, 236
□ response	55, 136, 181, 185, 206, 212
□ response to ~	230
□ responsible	105
□ responsible for ~	83, 105, 152
□ responsive	52
□ resting	163
□ restoration	244
□ result	22
□ result from ~	62
□ result in ~	64, 146, 170, 181, 188
□ retain	149
□ retain the ability to ~	30
□ retinal	184
□ retinal damage	67
□ retinal pigment epithelium	234
□ retinoic acid	103
□ reveal	30
□ reveal that ~	37
□ reveal the presence of ~	30
□ reverse	214
□ review	66, 206, 233
□ revolution	172
□ rhesus monkey	143
□ rheumatoid arthritis	186, 192
□ rise	135
□ risk	37, 133, 162, 189, 240
□ risk factor	44, 87
□ risk for ~	53, 169
□ RNA-binding	143
□ RNA interference	25
□ RNA silencing	70
□ rodent	188
□ rodent model	188
□ role	81, 142, 199, 206, 229
□ rough endoplasmic reticulum	77
□ rule out	176

S

☐ Sabin vaccine	137
☐ safe	208
☐ saliva	91
☐ same	154
☐ sample	137
☐ sample from ~	137
☐ SARS	61
☐ scavenger	186
☐ scientific	210
☐ scientist	47
☐ screen	163
☐ screening	187, 239
☐ search	135
☐ search for ~	135
☐ secondary	207
☐ secretion	50, 76, 91, 110
☐ secretory	36
☐ sedative	211
☐ see	211
☐ seek	23
☐ seem to ~	78, 110, 207
☐ segmental	203
☐ select	141, 163, 205
☐ selective	227
☐ selectively	96
☐ selectively to ~	96
☐ selenium	106
☐ senile dementia	38
☐ sensitive	64
☐ sensitive to ~	112
☐ sensitivity	124, 173, 183
☐ sensitivity to ~	126
☐ sequence	195, 232
☐ sequence homology	26
☐ sequencing	30
☐ serine	74
☐ serine/threonine kinase	74
☐ serious	61, 180
☐ serologic	124
☐ seroprevalence	97
☐ serotonin	136
☐ serum	112, 137
☐ serum cholesterol	223

- serum sample ————— 22
- serve ————— 34
- serve as ~ ————— 61, 86, 132, 203, 204, 205
- set up ————— 217
- several ————— 30
- severe ————— 109, 179
- severely ————— 80
- severely impaired ————— 80
- severity ————— 134
- sex ————— 133
- sex-matched ————— 110
- sexually ————— 63
- shed light on ~ ————— 237
- shortly ————— 241
- shortly after ~ ————— 241
- short-term ————— 80
- show ————— 116, 143, 184, 188, 193, 194, 208
- shown to ~ ————— 175, 192
- show that ~ ————— 33, 102, 244
- shuttle ————— 29
- sign ————— 29, 154
- signal ————— 110
- signaling ————— 57, 170
- signaling pathway — 34, 38, 47, 150
- signaling through ~ ————— 141
- signal peptide ————— 110
- signal transduction — 48, 69
- signal transduction pathway — 180, 225
- significant — 42, 99, 100, 133, 138, 151, 180, 188, 202, 223, 245
- significantly — 66, 110, 230
- significantly reduced — 73
- similar — 73, 184
- similarity — 143
- similarity to ~ — 143
- similarly — 166
- similar to ~ — 39
- simulation — 224
- simultaneously — 97
- simultaneously with ~ — 98
- since — 168
- single — 181
- single-stranded — 203
- site — 37, 229
- size — 242, 245
- skeletal muscle — 101
- sleep — 146, 171
- sleepiness — 171
- slightly — 89
- slightly higher — 89
- small — 215
- smallpox — 181
- smallpox vaccination — 181
- smoking — 87, 240
- smooth muscle — 94, 163
- social — 154
- society — 122
- sodium — 74
- sole — 59
- solely — 92
- solely by ~ — 92
- sometimes — 202
- so that ~ — 169
- sought to ~ — 23, 70, 85, 126
- source — 128
- spasm — 163
- special — 216
- specialize — 52
- specific — 26, 28, 96, 156, 182, 213
- specifically — 95
- specifically to ~ — 95
- specific for ~ — 107
- specificity — 102, 120, 124
- specificity for ~ — 135
- specify — 233
- specimen — 35, 109, 218
- speculate — 39
- spheroid — 116
- spike — 33
- spleen — 212
- splice — 140
- spontaneous — 106
- spontaneous abortion — 106
- spontaneously — 143
- sporadic — 65, 94, 145
- spread — 74

- ☐ sputum ————— 187, 242
- ☐ stable ————— 223
- ☐ stably ————— 76
- ☐ stably transfected ————— 76
- ☐ stage ————— 69, 231, 244
- ☐ state ————— 157
- ☐ statistically ————— 84
- ☐ statistically significant ————— 84
- ☐ status ————— 124, 149, 180
- ☐ stem cell ————— 75, 107, 124, 243
- ☐ step ————— 57
- ☐ step in ~ ————— 57
- ☐ stimulation ————— 50, 120, 223
- ☐ stimulus ————— 132
- ☐ stool ————— 49
- ☐ strain ————— 112
- ☐ strategy ————— 159, 203
- ☐ strategy for ~ ————— 130
- ☐ Streptococcus pyogenes ————— 213
- ☐ stress ————— 168, 202
- ☐ stress-related ————— 175
- ☐ striking ————— 143
- ☐ stroke ————— 37
- ☐ strong ————— 128
- ☐ structural ————— 62, 102
- ☐ structurally ————— 51
- ☐ structure ————— 43, 65, 83
- ☐ study ————— 24, 154
- ☐ study on ~ ————— 140
- ☐ study the role of ~ ————— 108
- ☐ subcutaneously ————— 235
- ☐ subject ————— 83, 188, 204
- ☐ submucosa ————— 241
- ☐ Subsequently, ————— 103
- ☐ subset ————— 184
- ☐ substrate ————— 102, 120
- ☐ substrate for ~ ————— 176
- ☐ subtractive ————— 232
- ☐ subtractive hybridization — 232
- ☐ subtype ————— 163, 233
- ☐ subunit ————— 66
- ☐ successful ————— 238
- ☐ such as ~ ————— 61
- ☐ sudden ————— 146
- ☐ suffer ————— 36
- ☐ suffer from ~ ————— 36, 179
- ☐ sufficient ————— 149
- ☐ sufficient for ~ ————— 108
- ☐ sufficient to ~ ————— 199
- ☐ suggest ————— 23, 124
- ☐ suggest a role for ~ ————— 31
- ☐ suggestion ————— 145
- ☐ suggest that ~ — 52, 97, 101, 164, 214
- ☐ sun ————— 196
- ☐ supplemental ————— 202
- ☐ support ————— 77, 146, 150
- ☐ support a model ————— 31
- ☐ support for ~ ————— 134
- ☐ suppression ————— 225
- ☐ suppressor ————— 69
- ☐ suprachiasmatic nucleus — 46
- ☐ suramin ————— 92
- ☐ surface ————— 51
- ☐ surface-exposed ————— 26
- ☐ Surprisingly, ————— 101
- ☐ surrogate ————— 30
- ☐ survival ————— 36, 52, 64, 79, 110, 200, 232
- ☐ survival rate ————— 111
- ☐ survivin ————— 144
- ☐ susceptibility ————— 217
- ☐ susceptibility to ~ — 142, 172
- ☐ susceptible ————— 40
- ☐ susceptible to ~ ————— 40
- ☐ suspect ————— 64, 109
- ☐ suspicion ————— 190
- ☐ switching ————— 101
- ☐ sympathetic ————— 175
- ☐ symptom ————— 122, 194, 202, 205, 238, 245
- ☐ synapse ————— 115, 153, 214
- ☐ synaptophysin ————— 116
- ☐ syndrome ————— 42
- ☐ synergistic ————— 181
- ☐ synergy ————— 150
- ☐ synthesis ————— 102
- ☐ synthesize ————— 128
- ☐ synthetic ————— 28
- ☐ syphilis ————— 152

- system ———— 59, 132, 150, 154
- systematically ———— 27
- system for ~ ———— 132
- systemic ———— 91, 180

T

- tadpole ———— 115
- tail ———— 203
- take care of ~ ———— 202
- take into consideration ———— 160
- Taken together, ———— 174
- take place ———— 244
- target ———— 96, 206
- targeted ———— 177
- target for ~ ———— 129
- T cell ———— 40
- T-cell receptor ———— 141
- technique ———— 134, 224
- technology ———— 79, 173
- telomerase ———— 203
- temozolomide ———— 165
- test ———— 52, 109
- testing ———— 89
- testis ———— 198
- test the hypothesis that ~ ———— 31
- tetramer ———— 141
- tetraploid ———— 235
- thallium ———— 218
- than expected ———— 181
- the fact that ~ ———— 195
- the hypothesis that ~ ———— 114, 134
- the idea that ~ ———— 146
- the majority of ~ ———— 38
- then ———— 163
- the notion that ~ ———— 146
- therapeutic ———— 111
- therapeutic effect ———— 111
- therapeutic index ———— 189
- therapeutic intervention ———— 57, 86
- therapy ———— 152, 230, 236, 243
- therapy for ~ ———— 131
- thereby ———— 163
- therefore ———— 160

- the view that ~ ———— 147
- think of ~ ———— 238
- thorough ———— 177
- thought to ~ ———— 56, 105
- threonine ———— 74
- thrombosis ———— 203
- Thus, ———— 162
- thyroiditis ———— 146
- tibia ———— 65
- tissue ———— 34, 134, 205
- tissue engineering ———— 67
- to a lesser degree ———— 93
- to a lesser extent ———— 189
- tobacco ———— 41
- to date ———— 123
- together ———— 134
- Together, ———— 134
- together with ~ ———— 96
- tolerated ———— 152
- tool ———— 131
- tool for ~ ———— 131
- to our knowledge ———— 236
- topoisomerase ———— 229
- to this end ———— 232
- toxic ———— 92
- trabecular bone ———— 65
- trace element ———— 106
- traditional ———— 196
- trafficking ———— 133
- trait ———— 24, 217
- transcript ———— 140
- transcription ———— 226
- transcriptional ———— 195
- transcriptional regulation ———— 57
- transdifferentiation ———— 154
- transfect ———— 76
- transfection ———— 42, 195
- transgene ———— 230
- transgenic ———— 85
- transient ———— 141, 195
- transiently ———— 78
- transiently transfected ———— 78
- translation ———— 156
- translocation ———— 80
- transmembrane segment ———— 127

□ transmit	91
□ transplant	235
□ transplantation	161
□ transport	85
□ transporter	29
□ transposable	230
□ transposable element	230
□ transposition	39
□ treat	57, 92, 210, 242
□ treated with ~	52
□ treatment	86, 139, 158, 165, 169, 192, 214
□ treatment with ~	143
□ trial	80, 114, 165
□ trigger	172
□ tuberculosis	135
□ tubular cell	235
□ tumor	52, 59, 63, 112, 121, 206, 216
□ tumor cell	51, 124, 135
□ tumor growth	108
□ tumorigenesis	229
□ tumor necrosis factor	113
□ turnover	176
□ typically	171
□ tyrosine	225
□ tyrosine kinase	94

U

□ ultrasonographic	27
□ ultraviolet	196
□ unattainable	158
□ unchanged	136
□ unclear	154
□ under conditions of ~	228
□ undergo	78, 171
□ underlie	140, 229
□ underlying	238
□ underlying mechanism	46, 148
□ underscore	199
□ understand	131, 210, 226
□ understanding	177
□ understand the mechanism	32

□ undertake	58
□ undertaken to ~	58
□ under the control of ~	230
□ under the same conditions	228
□ unidentified	97, 217
□ unilateral	197
□ unique	43
□ unknown	68, 143, 169
□ unless	216
□ Unlike	159
□ unresolved	74
□ unusually	26
□ upstream stimulatory factor	78
□ uptake	42, 133, 136
□ urge	202
□ urine	95, 218
□ use	76, 161
□ used as ~	131, 204, 209
□ used by ~	32
□ used for ~	75
□ used to ~	57
□ useful	159
□ useful for ~	108
□ useful in ~ing	24
□ use in ~	243
□ use of ~	205
□ usually	35, 226
□ utility	227
□ utilize	150

V

□ vaccination	224
□ vaccine	61, 75, 114, 137, 151, 172, 238
□ vaccinia virus	107
□ vaginal	28
□ valuable	23
□ value	156
□ valve	229
□ variant	137
□ variation	207
□ varied	27
□ various	150, 205, 244

- ☐ vary ————— 230
- ☐ vascular ————— 163, 180
- ☐ vascular disease ————— 32
- ☐ vascular resistance ————— 91
- ☐ vector ————— 61, 99
- ☐ vein ————— 65
- ☐ ventricle ————— 51
- ☐ verbal ————— 149
- ☐ versatile ————— 85
- ☐ vertebrate ————— 81, 237
- ☐ very ————— 152
- ☐ vessel ————— 65
- ☐ viability ————— 116
- ☐ victim ————— 241
- ☐ view ————— 47
- ☐ viewed as ~ ————— 47
- ☐ viral ————— 61, 161, 207
- ☐ virulence ————— 30
- ☐ virulent ————— 32
- ☐ virus — 49, 82, 91, 135, 137, 215
- ☐ visual ————— 114, 132, 204
- ☐ vitamin ————— 56
- ☐ volunteer ————— 151
- ☐ vomiting ————— 48

W

- ☐ way ————— 238
- ☐ wealth of ~ ————— 204
- ☐ we attempt to ~ ————— 44
- ☐ we hypothesize that ~ — 38
- ☐ weight gain ————— 188
- ☐ well ————— 152
- ☐ well-defined ————— 78
- ☐ we propose that ~ — 38, 225

- ☐ we report that ~ ————— 38
- ☐ we speculate that ~ ————— 39
- ☐ whereas ————— 155
- ☐ while ————— 154
- ☐ white ————— 186
- ☐ white matter ————— 51
- ☐ widely ————— 59, 157
- ☐ widely used ————— 75
- ☐ wild-type ————— 66, 111, 187, 193, 212, 215
- ☐ Williams syndrome ————— 80
- ☐ withdrawal symptoms — 154
- ☐ within the context of ~ — 229
- ☐ with regard to ~ ————— 243
- ☐ with respect to ~ ————— 124
- ☐ word ————— 194
- ☐ work ————— 169
- ☐ writing ————— 217

X

- ☐ *Xenopus laevis* ————— 115
- ☐ xenotransplantation ————— 41

Y

- ☐ young ————— 193
- ☐ younger ————— 236

Z

- ☐ zebrafish ————— 208
- ☐ zinc ————— 106, 128
- ☐ Zucker rat ————— 102