

## 欧文

### A～C

$\alpha_2$ 受容体作動薬	38
ABCDE バンドル	174
ACLS	234
Advanced Cardiac Life Support	234
AGREE II	12
Aldrete スコアリング法	91
AMPLE	194
ASA-PS (American Society of Anesthesiologists Physical Status)	71, 194
ASA-SED	93, 123
Behavioral Pain Scale	63
BPS	63, 177
CAM-ICU	181, 241
Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit	17, 19
context-sensitive half-time	30, 36
COPD	104
COX	47
CPOT	177

### D～F

DAM	175
DASH (Debriefing Assessment for Simulation in Healthcare)	140
DSA (digital subtraction angiography)	160
EtCO <sub>2</sub> (end tidal CO <sub>2</sub> )	199
Faces Legs Activity Cry Consolability Scale	66
Faces Pain Scale	63
FLACCS	66
FPS	63

### G～J

GAS (Gather Analyze Summarize) method	140
high fidelity simulation	137
Hugh-Jones 分類	105
ICDSC	241
interventional radiology	159
IPITM	155
IVR	159
JAMS 鎮静コース	142
JCI (Joint Commission International)	93, 246

### L～N

LEMONS 法	196
MOAA/S スケール	58
modified Aldrete スコア	69, 201, 202
Modified OAA/S (Observer's Assessment of Alertness/Sedation) scale	58, 154
MPADSS (Modified Post-Anaesthetic Discharge Scoring System)	69
MRI 検査時の鎮静に関する共同提言	240
NAPS	230
NMDA 受容体	44
Non-anesthesiologist administration of propofol for gastrointestinal endoscopy: European Society of Gastrointestinal Endoscopy, European Society of Gastroenterology and Endoscopy Nurses and Associates Guideline—Updated June 2015	20
NPPV	101
NRS	63, 177
NSAIDs	47
Numeric Rating Scale	63

Nurse-Administered Propofol Sedation … 230

NYHA (New York Heart Association) 分類 … 107

## O・P

OAA/S (Observer’s Assessment of Alertness/Sedation) … 58, 154

OSAS … 101

PALS (Pediatric Advanced Life Support) … 206, 234

PCI (percutaneous coronary intervention) … 159

PDCA サイクル … 99

PIPP … 68

pKa … 50

Practice guidelines for sedation and analgesia by non-anesthesiologists … 17, 18

Premature Infant Pain Profile … 68

Privilege … 233

PSA (Procedural Sedation and Analgesia) … 145, 227

## R～V

Ramsay Sedation Score … 58

RASS … 58, 154, 177

Richmond Agitation Sedation Scale … 58

Riker Sedation Agitation Scale … 58

RikerSAS … 58

RSS … 58

SOAPME … 209

TJC (The Joint Commission) … 25, 198, 229, 236

triple airway maneuver … 158

VAS (Visual Analogue Scale) … 63, 177

VNS (Verbal Numeric Scale) … 63

医療情報サービス Minds … 12

インフォームド・コンセント … 76

エステル型 … 50

悪心・嘔吐 … 120

オリエンテーション … 140

## か行

回復期 … 96

回復室 … 88, 130

合併症 … 170, 201, 225

合併症に関与する因子 … 114

カテーテルアブレーション … 159

カテーテル検査室 … 159

下部消化管内視鏡 … 147

カプノグラフィ … 179

カプノグラム … 103

軽い鎮静・鎮痛 … 22

カルディオバージョン … 186

患者スクリーニング … 71

気管支攣縮 … 117

拮抗作用 … 31

気道確保 … 184

気道確保困難 … 175

気道・呼吸のモニタリング … 82

気道評価 … 150

## 和 文

### あ行

アセトアミノフェン … 47, 48, 189

アミド型 … 50

意識レベルのモニタリング … 82

異常嘔吐反射 … 216

痛みの評価項目 … 55, 57

胃排泄時間 … 150

異物 … 225

気道閉塞 …… 116, 170, 225  
 機能的残気量 …… 101  
 救急部 …… 78  
 業務権限 …… 244, 246  
 協力作用 …… 31  
 局所麻酔薬中毒 …… 50  
 禁煙 …… 105  
 筋肉内注射 …… 32  
 苦痛緩和のための鎮静に関するガイドライン …… 15  
 経口投与 …… 33  
 経皮的カテーテル心筋焼灼術 …… 159  
 経皮的冠動脈インターベンション …… 159  
 経皮投与 …… 33  
 ケタミン …… 44, 189  
 血中濃度 …… 29  
 高機能シミュレータ …… 133  
 高機能マネキン …… 137  
 高血圧 …… 118, 171  
 口腔外科手術 …… 218  
 膠質液 …… 87  
 喉頭痙攣 …… 116, 225  
 高齢者 …… 97  
 誤嚥 …… 117, 171, 226  
 呼吸終末二酸化炭素分圧 …… 199  
 呼吸二酸化炭素モニタ …… 247

呼吸器系合併症 …… 170  
 呼吸抑制 …… 88, 116, 157, 225  
 コンパートメント症候群 …… 191  
 コンピュータスクリーンベース …… 136

## さ行

酸素需給バランス …… 108  
 ジアゼパム …… 34, 166  
 歯科診療における静脈内鎮静法ガイドライン …… 15, 240  
 歯科治療 …… 216  
 シクロオキシゲナーゼ …… 47  
 自己調節機能 …… 108  
 事前スクリーニング …… 71  
 シナリオ …… 140  
 自閉症児 …… 218  
 シミュレーション …… 145  
 シミュレーショントレーニング …… 132  
 シミュレータ …… 133  
 シヤントの保護 …… 111  
 集中治療部 …… 78  
 手術室 …… 77  
 術前絶飲食ガイドライン …… 150  
 術前評価 …… 99, 149  
 循環器系患者 …… 217

循環系合併症 …… 171  
 循環動態に関するモニタリング …… 83  
 循環抑制 …… 88, 158  
 障害者 …… 218  
 消化器内視鏡検査 …… 17  
 上気道閉塞 …… 157, 192  
 晶質液 …… 87  
 脂溶性 …… 51  
 小腸内視鏡 …… 148  
 上部消化管内視鏡 …… 147  
 静脈注射の実施に関する指針 …… 244  
 静脈内注射 …… 32  
 処置室 …… 220  
 処置時の鎮静および鎮痛 …… 145, 227  
 徐脈 …… 118  
 振戦 …… 217  
 心臓カテーテル検査 …… 159  
 深鎮静・鎮痛 …… 23  
 腎排泄性薬剤 …… 111  
 診療ガイドライン …… 12  
 睡眠時無呼吸症候群 …… 101  
 スキルトレーニング …… 133  
 精神障害 …… 217  
 青斑核 …… 38  
 生理検査室 …… 79  
 絶食時間 …… 185

全身麻酔	23
せん妄	121, 174, 175
相加作用	31
早期離床	173
相乗作用	31, 35
その他の部署	79

## た行

体位	103
退室基準	91
タイトレーション	98
タイムアウト	243, 246
タスクシミュレータ	134
タスクトレーナー	137, 138
胆・睪内視鏡	148
蛋白結合率	51
チームビルディング	99
中枢性感作	44
中等度／深鎮静・鎮痛に伴う 合併症	113
中等度鎮静	132, 227
中等度鎮静・鎮痛	22
中等度鎮静のトレーニング	232
鎮静教育	246
鎮静計画	99, 243
鎮静実施中	128
鎮静前患者評価	243

鎮静担当者	93
鎮静中	95
鎮静・鎮痛計画	164, 197
鎮静・鎮痛実施中	128
鎮静・鎮痛担当者	25
鎮静・鎮痛前計画	125, 220
鎮静・鎮痛前評価	123, 161, 218
鎮静の説明同意書	243
鎮静の評価項目	55
鎮静のレベル	197
鎮静場所	77
鎮静前	95
鎮静前計画	126
鎮静前評価	123
鎮痛評価項目	57
低換気	170
低血圧	118, 171
デクスメデトミジン	38, 166, 189
デジタルサブトラクション血 管造影	160
デブリードマン	186
デブリーフィング	140
天井効果	42, 43
疼痛性ショック	216
徒手整復	182
トラマドール	42

## な行

内視鏡検査室	147
内視鏡室	79
内視鏡診療における鎮静に関 するガイドライン	15, 240
ナロキソン	54
日本医学シミュレーション学 会	142
日本版・集中治療室における 成人重症患者に対する痛 み・不穏・せん妄管理のた めの臨床ガイドライン	16, 17
尿閉	121
認知障害	217
ネーザルアトマイザー	221
脳血管造影検査	159
脳血管内治療	159

## は行

排出半減期	29
判断トレーニング	133
皮下注射	32
非協力児	217
非侵襲的陽圧換気療法	101
非麻酔科医による鎮静／鎮痛 に関する診療ガイドライン	22, 93
肥満症	101

- 頻脈 …………… 118  
 フェンタニル …………… 41, 189  
 不整脈 …………… 171  
 ブプレノルフィン …………… 42  
 ブリーフィング …………… 99  
 フルストマック …………… 185  
 フルニトラゼパム …………… 34  
 フルマゼニル …………… 53  
 プロポフォール  
 …………… 166, 189, 230  
 プロポフォール注入症候群  
 …………… 37, 121, 180  
 分布半減期 …………… 29  
 米国病院機能評価機構 … 25
- ペースメーカー移植術 … 159  
 ベンゾジアゼピン受容体  
 …………… 53  
 ペンタゾシン …………… 42, 166  
 放射線部（診断） …………… 78  
 放射線部（治療） …………… 78
- ま行**
- 
- 慢性腎不全患者 …………… 110  
 慢性閉塞性肺疾患 …………… 104  
 ミダゾラム  
 …………… 34, 166, 189, 221  
 モニタリング  
 81, 90, 154, 166, 199, 222
- モルヒネ …………… 41
- や行**
- 
- 薬物代謝の遷延 …………… 97  
 輸液内容の決定 …………… 86  
 輸液の必要性 …………… 85  
 輸液ルート確保 …………… 85  
 用手気道確保 …………… 158  
 予備能力の評価 …………… 107
- ら行**
- 
- 離脱症状 …………… 53, 54  
 レミフェンタニル …………… 42