

索引

Index

数字

- 1回換気量 131, 132
 1回拍出量の呼吸性変動 208
 1時間バンドル 167

欧文

A~C

- A-line 196
 ABCDEF bundle 159, 188
 abdominal compartment syndrome 89
 ACS 89
 acute interstitial nephritis 67
 acute kidney injury 64
 acute tubular necrosis 67
 AG 116
 AIN 67
 Airway 19, 56
 AIUEO TIPS 38
 AKI 64
 AKI bundle 65
 AKIの鑑別疾患 66
 ALP 93
 ALT 92
 AST 92
 ATN 67
 B-line 196
 bat sign 196
 Behavioral Pain Scale 153
 beneficence 220
 BLUE-protocol 197
 BPS 153
 Breathing 19, 56
 by system 35

- cannot intubate, cannot oxygenate 192
 capillary refill time 21
 CHD 69
 CHDF 69
 CHF 69
 CICO 192
 CIRCI 219
 Circulation 20
 $CL_{tot} = CL_r + CL_h$ 180
 comet tail artifact 196
 continuous hemodiafiltration 69
 continuous hemodialysis 69
 continuous hemofiltration 69
 continuous renal replacement therapy 68, 180
 CPAP モード 123
 critical illness-related corticosteroid insufficiency 219
 CRRT 68, 180
 CRT 21
 cryptic shock 48
 CVP 206

D~H

- D-shape 201
 de-escalation 109
 deep venous thrombosis 172
 definitive therapy 108
 DIC 98
 disseminated intravascular coagulation 98
 double tract sign 193
 DVT 172
 ECMO 180
 empiric therapy 108
 EN 146
 enteral nutrition 146
 extra-corporeal membrane oxygenation 180
 FAST 201
 FCCS 223
 F_iO_2 131
 focused assessment with sonography in trauma 201
 FOUR score 38
 Frank-Starling 曲線 206, 209
 Full Outline of Unresponsiveness score 38
 gastrointestinal bleeding 171
 GCS 38
 GIB 171
 Glasgow Coma Scale 38
 glomerulonephritis 67
 GN 67
 Henderson-Hasselbalch の式 113
 HFNC 121, 125
 high flow nasal cannula 121, 125
 Hour-1 bundle 167

I~P

- ICU-acquired delirium 188
 ICU-acquired weakness 43, 186
 ICU-AW 43, 186
 ICU獲得性筋力低下 186
 intermittent pneumatic compression 173
 intermittent RRT 68
 IPC 173
 IRRT 68
 Japan Coma Scale 38
 JCS 38
 justice 220
 lower BLUE-point 198
 lung point 197
 lung pulse 196
 lung sliding 193, 196
 MAP 67
 McConnell's sign 201
 medical emergency team 32
 MET 32
 MEWS 32
 modified early warning score 32
 mottling score 48
 NCSE 43
 NOMI 87
 non-invasive positive pressure ventilation 121
 non-maleficence 220
 non-occlusive mesenteric ischemia 87
 NPPV 121
 ODS 78
 ONSD 202

optic nerve sheath diameter	202	sequential organ failure assessment score	104
osmo-regulation	75	SOFA スコア	104
overfeeding	144	spontaneous breathing trial	138
parenteral nutrition	148	SPV	208
passive leg raising	210	stratosphere sign	196
PE	172	stroke volume variation	208
PEEP	131	SVV	208
permissive hypercapnia	137	systolic pressure variation	208
physiological approach	113	T モード	124
Pipes	202	Tank	201
PLAPS	199	TCCFI	203
PLAPS-point	198	TeamSTEPPS®	31
pleth variability index	208	transcranial color flow imaging	203
PLR	210	underfeeding	144
PN	148	upper BLUE-point	198
positive end-expiratory pressure	131	UpToDate®	222
posterioral alveolar and/or pleural syndrome	199	VAE	170
PPV	208	VAP	170
Primary survey	27	venous thromboembolism	172
PS圧	123	ventilation	59
PTH	82	ventilator-associated events	170
Pulmonary Embolism	172	ventilator-associated pneumonia	170
pulse pressure variation	208	volume-regulation	75
Pump	200	volume status	67
PVI	208	VTE	172

Q～V

quick SOFA スコア	104
R value	92
rapid response system	31
rapid response team	32
renal replacement therapy	68
respect for autonomy	220
Ret	97
reticulocyte	97
review of system	107
ROS	107
RRS	31
RUSH (rapid ultrasound in shock) exam	200
S/T モード	123
S モード	124
SBT	138
seashore sign	196
Secondary survey	28

和 文

あ行

アシデミア	114
アシドーシス	114
アドレナリン	166
アニオングリップ	116
アルカリ血症	114
アルカレミア	114
アルカローシス	114
アルドステロン	79
一次評価	16
医療倫理	220
栄養リスク	145
拡散障害	58
活性型ビタミン D	82

か行

ガバナンス	221
換気	59, 131
換気/血流不均衡	57
肝機能異常の鑑別	92
肝クリアランス	179
間歇的空気圧迫装置	173
患者安全	220
感染巣の評価	162
感染制御	221
気管挿管	192
気道	56
急性間質性腎炎	67
急性出血	97
急性腎障害	64
急性尿細管壞死	67, 71
吸入酸素濃度	131
凝固・線溶系の管理	99
強心薬	51
協働	214
筋萎縮	186
筋骨格系	219
筋内脂肪量	187
グリコカリックス	165
経口摂取	145
計算機系ツール	222
経静脈栄養	145, 148
経頭蓋エコー	203
経腸栄養	145, 146
経腸栄養プロトコール	147
血液透析	68
血管作動薬	51
血管収縮薬	51
血小板減少症	98
血糖管理	149
下痢	89
言語聴覚士	190
高カリウム血症	79
膠質液	165
鉱質コルチコイド	79
公正原則	220
高ナトリウム血症	76
高二酸化炭素許容人工換気法	137
高二酸化炭素血症	135
高流量鼻カニューラ	121
呼気終末陽圧	131

呼吸	56	迅速評価	16	敗血症性ショック	104, 161				
呼吸回数	131, 132	腎代替療法	68	肺塞栓症	172				
呼吸仕事量	60	浸透圧	75	肺胞低換気	59				
呼吸不全	57	浸透圧性脱離症候群	78	廃用症候群	186				
骨格筋機能	187	深部静脈血栓症	172	播種性血管内凝固	98				
根本治療	50	頭蓋内圧評価	202	パソプレシン	166				
さ行									
作業療法士	189	静的指標	165, 207	白血球数異常	96				
参加型	215	生理学的アプローチ	113	鼻マスク	121				
酸血症	114	赤血球恒数	97	非痙攣性てんかん重積状態	43				
酸素化	57, 131	全血凝固検査	100	非侵襲的陽圧換気	121				
酸素サイクル	50	善行原則	220	皮膚	219				
支援型	215	全身クリアランス	179	非閉塞性腸管虚血	87				
糸球体腎炎	67	せん妄	158	病原微生物の評価	162				
死腔	136	臓器障害の評価	163	貧血	97				
死腔換気	59	臓器障害を伴う敗血症	161	副甲状腺ホルモン	82				
指示型	215	早期離床	185	腹部コンパートメント症候群	89				
支持療法	50	た行							
視神経鞘径	202	代償性変化	115	フルフェイスマスク	121				
持続的血液透析	69	多職種連携	187	フロートラック	210				
持続的血液濾過	69	チーム医療	216	プロトコル	187				
持続的血液濾過透析	69	チューブ	219	分画異常	96				
自発呼吸トライアル	138	張度	75	分時換気量	60, 131				
シャント	58	鎮静	153	平均血圧	67				
収縮期圧の呼吸性変動	208	鎮痛	152	便通障害	88				
重症関連コルチコステロイド障害	219	低カリウム血症	80	便秘	88				
重症度評価	16, 104	低カルシウム血症	82	ま行					
重症熱性血小板減少症候群	99	低酸素血症	56, 133	脈圧の呼吸性変動	208				
受動的下肢挙上	165	低ナトリウム血症	77	無危害原則	220				
循環血漿量	67	低マグネシウム血症	81	毛細血管再充満時間	21				
昇圧薬	165	低リン血症	83	網状赤血球	97				
消化管出血の評価	90	動的指標	165, 207	目標達成型	215				
状況適合型リーダーシップモデル	215	トータルフェイスマスク	121	や行					
晶質液	164	ドバミン	166	薬剤データベース	222				
上部消化管出血	171	ドブタミン	166	薬物相互作用	178				
静脈血栓塞栓症	172	トリアージ	17	薬物動態学	178				
初期評価	104	な行							
ショック	47	内分泌	219	薬物動態学の相互作用	178				
ショックのフェーズ	52	二次障害	186	薬力学的相互作用	178, 179				
ショックを見抜く3つの窓	48	二次評価	16	輸液チャレンジテスト	209				
自律性尊重原則	220	ノルアドレナリン	166	ら行					
腎クリアランス	179	は行							
人工呼吸器	130	肺エコー	196	リーダーシップ	215				
人工呼吸器関連肺炎	170	敗血症	104	理学療法士	189				
腎前性腎不全	71			離床のプロトコル	189				