


索引

I N D E X



欧文

A~C

- ABI 222
ACD 246
ACE 阻害薬 82
acid citrate dextrose 246
ACLS 88
ACS 148
acute coronary syndrome 148
acute kidney injury 160
acute motor axonal neuropathy 215
AD 173
advanced directive 173
AFIKLE 243
AKI 160
AMAN 215
ANCA 198
ANCA 関連血管炎 198
ankle brachial pressure index 222
ANP 95
antineutrophil cytoplasmic antibody 198
APD 52
arteriosclerosis obliterans 222
arteriovenous fistula 38
arteriovenous graft 38
ASO 222
atrial natriuretic peptide 85, 95
automated peritoneal dialysis 52
AVF 38
AVG 38
BIA 95
bioelectric impedance analysis 95
blood volume monitor 95
BUN 時間平均濃度 28
BVM 95
CABG 145
CAPD 52
CAP の有効性 237
CART 188, 237
CAT-MEAL 243
CCPD 53
cell-free concentrated ascites reinfusion therapy 188, 237
CHDF 46
chronic inflammatory demyelinating polyneuropathy 214, 220
chronic kidney disease 66
Churg-Strauss 症候群 198
CI 95
CIDP 214, 220
CK-MB 分画 86
CKD 66
collapsible index 95
continuous ambulatory peritoneal dialysis 52
continuous cycling peritoneal dialysis 53
continuous hemodiafiltration 46
continuous renal replacement therapy 149, 258
coronary artery bypass grafting 145
Crohn 病 229, 234
CRRT 149
Diehr rule 121
digital subtraction angiography 38
direct hemoperfusion 193
disseminated intravascular coagulation 148
distribution volume 242
double filtration plasmapheresis 191
dry weight 94
DSA 38
DW 94
DW 設定 95
early goal-directed therapy 148, 209
ECF 95
ECUM 47
EER 132
EGDT 148
eGFR 69
EGPA 199
encapsulating peritoneal sclerosis 53
eosinophilic granulomatosis with polyangiitis 199
EPS 53
estimated energy requirement 132
estimated glomerular filtration rate 69
extracellular fluid 95
extracorporeal ultrafiltration method 47, 76
familial hypercholesterolemia 223
FENa 148
FFP 190
FGS 223
FH 223
focal glomerular sclerosis 223
fractional excretion of Na 148
fresh frozen plasma 190
G~I
gastrointestinal decontamination 240

GBS 214, 220
 Guillain-Barré 症候群 ... 214, 220
 GCAP 232
 GID 240
 GMA 245
 GPA 199
 granulocytopheresis 232
 granulocyte and monocyte
 apheresis 245
 granulomatosis with polyangiitis
 199
 Guillain-Barré syndrome
 214, 220
 HD 42
 HDF 44
 Heckerling rule 121
 hemodiafiltration 44
 hemodialysis 42
 hemofiltration 43
 heparin-induced
 thrombocytopenia 28
 HF 43
 HHD 55
 HIT 28
 home hemodialysis 55
 IABP 146
 IAPP 215, 220
 IDPN 128
 immunoabsorption
 plasmapheresis 215, 220
 in-center CHD 56
 in-center conventional
 hemodialysis 56
 inferior vena cava 95
 intermittent renal replacement
 therapy 149
 intermittent renal replacement
 therapy (IRRT) 149, 258
 intraaortic balloon pumping
 146
 intradialysis parenteral nutrition
 128
 intravenous immunoglobulin
 therapy 214
 IRRT 149
 IVC 95
 IVIG 214

K ~ N

K/DOQI 81
 KDIGO (Kidney Disease :
 Improving Global Outcomes)
 266
 Kt/V 25
 LCAP 232
 LDL アフェレシス 222
 leukocytopheresis 232
 living will 173
 LN 205
 lupus nephritis 205
 LW 173
 malignant rheumatoid arthritis
 205
 manual muscle test 218
 MDAC 241
 MG 215
 microscopic polyangiitis ... 199
 MMT 218
 MPA 199
 MRA 205
 MS 220
 multiple sclerosis 220
 multiple-dose activated charcoal
 241
 myasthenia gravis 215
 neuromyelitis optica 215
 NHD 55
 NIPD 53
 nitric oxide 225
 NMO 215
 NO 225
 nocturnal hemodialysis 55
 nocturnal intermittent peritoneal
 dialysis 53
 non-renal indication 151
 normalized protein nitrogen
 appearance 131
 normotensive ischemic acute
 renal failure 148
 nPNA 131

P ~ R

PA 192
 PD 49

PE 191
 percutaneous coronary
 intervention (PCI) 86
 percutaneous transluminal
 angioplasty 38
 peripheral parenteral nutrition
 139, 140
 peritoneal dialysis 49
 PKD 88
 plasma adsorption 192
 plasma exchange 191
 plasma refilling 83
 PMX 213
 PMX-DHP 207
 polyacrylonitrile (PAN) 膜 ... 82
 polycystic kidney disease ... 88
 polymyxin B-immobilized fiber
 213
 PPN 139
 PT-INR 90
 PTA 38
 Q_B 30
 Q_D 30
 QOL 33
 quality of life 33
 quantity of blood flow 30
 quantity of dialysate flow ... 30
 RA 205
 renal angina 160
 renal limited vasculitis 199
 resistance index 106
 rheumatoid arthritis 205
 RI 106
 RLV 199
 RRT の開始基準・中止基準 ... 257

S ~ T

S.T.S 38
 SDHD 55
 short daily hemodialysis 55
 sick day rule 162
 silent overhydration 95
 SIRS 149, 206
 SLE 205
 SLED 150, 159, 258
 SLED-f 159

surviving sepsis campaign guidelines	209
sustained low efficiency dialysis	150, 159
sustained low efficiency dialysis with filtration	159
sustained low efficiency dialysis (SLED)	150, 159, 258
systemic inflammatory response syndrome	149, 206
systemic lupus erythematosus	205
TAC-BUN	28
TBW	95
TDM	125
The National Kidney Foundation Disease Outcomes Quality Initiative	81
therapeutic drug monitoring	125
tidal peritoneal dialysis	53
time averaged concentration of BUN	28
total body water	95
total parenteral nutrition	139
TPD	53
TPN	139

U ~ W

UC	233
ulcerative colitis	233
VA	34
VAIVT	39
vascular access	34
vascular access intervention therapy	39, 107
vascular endothelial growth factor	225
VAトラブルスコアリング	38
Vd	242
VEGF	225
very-low-density lipoprotein	253
virus removal and eradication by DFPP	238
VLDL	253
VRAD	238
Wegener 肉芽腫症	198

和文

あ ~ お

悪性関節リウマチ	205
アクセス管理	116
アクセス穿刺	40
アダカラム®	230, 232
アナフィラキシーショック	81
アフエシス	188
アルガトロバン	29, 90
アルカリ化剤	23
意識障害	80, 239
一酸化窒素	225
ウイルス除去療法	238
運動療法	181
栄養管理	128
エネルギー	131
エンドトキシン吸着	206
塩分	132
横紋筋融解症	147
オザグレルナトリウム	90
オブソニン効果	230

か ~ く

介護者	169
ガイドライン	256
潰瘍性大腸炎	229, 233, 235
回路内凝固	100
拡散	14
下肢攣り	94
家族性高コレステロール血症	222, 223, 224
過大シャント	118
活性炭	95, 240
活性炭吸着	239
活性炭のくり返し投与	241
下部消化管穿孔	206
カリウム	22, 135
顆粒球除去療法	232
顆粒球単球除去療法	245
カルシウム	22
間欠的腎代替療法	149, 258
看護師	78
間質性肺炎	213
緩徐低効率血液濾過透析	159

緩徐低効率透析	150, 159, 258
関節リウマチ	229, 234
感染	109
完全静脈栄養	139
冠動脈バイパス術	145
急性冠症候群	148
急性血液浄化療法	242
急性腎障害	160
急性腎不全	160
吸着	17, 191
狭窄	104
虚脱率	95
起立性低血圧	94
緊急透析の適応	71
空気誤入	98
グリセロール	89

け・こ

経静脈的栄養	139
経静脈的栄養補充療法	144
経腸栄養	138, 144
経皮経管的血管形成術	38
経皮的冠動脈インターベンション治療	86
血液凝固	98, 100
血液浄化療法	258
血液透析	42
血液透析器	20
血液流量	30
血液量モニター	95
血液濾過	43
血液濾過透析	44
血管内皮増殖因子	225
血球減少	235
血球成分除去療法	229
血漿吸着	192
血漿交換 (療法), 単純血漿交換	191, 201
血漿処理量	202
血漿浸透圧	44
血漿分離	190
血流感染	110
血流量 (血液流量)	30
限外濾過	16
顕微鏡的多発血管炎	198, 199

高カリウム血症…………… 72
 後希釈法…………… 44
 抗凝固薬…………… 28, 154
 抗菌薬…………… 122
 高血圧治療アルゴリズム…………… 96
 膠原病肺…………… 213
 抗好中球細胞質抗体…………… 198
 好酸球性肉芽腫性多発血管炎
 …………… 198, 199
 合成高分子系膜…………… 20
 高齢者透析医療…………… 165
 高齢透析患者…………… 165
 呼吸苦…………… 120
 個人用透析装置…………… 20

さ・し

細菌性腹膜炎…………… 206
 在宅血液透析…………… 55
 在宅血液透析管理マニュアル…………… 55
 細胞外液量…………… 95
 支援…………… 78
 軸索型Gillain-Barré症候群…………… 215
 自己血管内シャント…………… 36
 視神経脊髄炎…………… 215
 事前指示書…………… 173
 持続的血液濾過透析…………… 46
 持続的腎代替療法…………… 149, 258
 市中肺炎…………… 121
 至適透析…………… 33
 自動腹膜透析…………… 52
 シャント音…………… 101
 シャント狭窄…………… 105
 シャント血流量…………… 117
 シャント作製…………… 116
 シャント肢…………… 116
 シャント瘤…………… 111
 重症筋無力症…………… 215, 220
 出血…………… 98, 99
 昇圧薬…………… 93
 消化管除染…………… 240
 静脈高血圧…………… 118
 静脈高血圧症…………… 112
 食塩摂取量…………… 134
 食事療法…………… 129
 食欲低下…………… 129

除水異常…………… 98
 除水設定…………… 31
 ショック…………… 80, 94, 206
 自律神経障害…………… 83
 シロスタゾール…………… 91
 心筋型脂肪酸結合タンパク (H-FA
 BP)…………… 86
 心筋トロポニンI…………… 86
 心筋トロポニンT…………… 86
 神経疾患…………… 220
 腎限局型血管炎…………… 198
 腎硬化症…………… 120
 人工血管…………… 38
 人工血管内シャント…………… 36
 腎障害…………… 198
 新鮮凍結血漿…………… 190
 腎臓リハビリテーション…………… 181
 腎代替療法の選択…………… 66
 腎毒性物質…………… 162
 心肺停止…………… 80
 腎不全…………… 169
 腎不全生活…………… 65
 心房性ナトリウム利尿ペプチド
 …………… 85, 95

す～そ

推定エネルギー必要量…………… 132
 推定糸球体濾過量…………… 69
 水分…………… 132
 スチール症候群…………… 113
 生活の質…………… 33
 正常血圧性虚血性急性腎不全…………… 148
 生体電気インピーダンス法…………… 95
 セルソーバ®…………… 232
 セルロース系膜…………… 20
 前希釈法…………… 44
 穿刺…………… 40
 全身性エリテマトーデス…………… 205
 全身性炎症反応症候群…………… 149, 206
 早期目標指向療法…………… 148
 巣状糸球体硬化症…………… 222, 224
 装置の故障…………… 98
 組織プラスミノゲンアクチベーター
 (t-PA)…………… 90
 足関節上腕血圧比…………… 222

た・ち

ダイアライザ…………… 20
 体液量過少…………… 94
 体液量過剰…………… 94
 体外限外濾過法…………… 47, 76
 体水分量…………… 95
 タイダル腹膜透析…………… 53
 体タンパク質量…………… 131
 大動脈バルーンパンピング…………… 146
 多臓器血管炎…………… 201
 多発血管炎性肉芽腫症…………… 198, 199
 多発性硬化症…………… 220
 多発性嚢胞腎…………… 88
 短期型バスキュラーカテーテル
 …………… 35
 短時間頻回血液透析…………… 55
 単純血漿交換…………… 191
 タンパク結合尿毒素…………… 33
 タンパク質…………… 130
 チーム医療…………… 78
 チクロピジン…………… 91
 昼間携帯式腹膜透析…………… 52
 中空糸型血液透析器…………… 20
 中心静脈栄養…………… 144
 長期型バスキュラーカテーテル
 …………… 37
 超高齢者…………… 166
 超低密度リポタンパク質コレステ
 ロール…………… 253
 直接血液吸着…………… 193
 治療薬物モニタリング…………… 125

つ～と

通院透析…………… 56
 低温透析…………… 93
 抵抗指数…………… 106
 低分子ヘパリン…………… 29
 デジタルサブトラクション血管造影
 …………… 38
 動静脈直接穿刺…………… 35
 透析液…………… 22
 透析液異常…………… 98
 透析液供給装置…………… 19
 透析液流量…………… 30
 透析延期…………… 176, 177

透析開始時の副作用	76
透析間の体重増加量	85
透析記録	77, 133
透析後半の血圧低下	94
透析効率	25
透析時間	26
透析時静脈栄養	128
透析システム	18
透析処方	25
透析処方項目	27
透析装置	18
透析中止	164, 174, 175, 176
透析低血圧	93
透析導入	64
透析非導入	164, 171, 172, 179
透析頻度	28
透析膜	20
透析用監視装置	19
特殊浄化	42
特発性間質性肺炎	213
徒手筋力テスト	218
ドライウェイト	94

な・に

内シャント	38
ナトリウム	22
Na 排泄分画	148
ナファモスタットメシル酸塩	29, 89
難治性ネフローゼ症候群	224
二重膜濾過血漿交換 (療法)	191, 192, 201
日本人の食事摂取基準 (2010年版)	132
尿毒症	68
尿毒症症状	164
尿毒素物質	33

認知症	164, 168
-----	----------

は〜ほ

肺炎	120
敗血症性ショック	207
敗血症の初期蘇生	210
肺腎症候群	201
肺胞出血	198
播種性血管内凝固症候群	148
バスキュラーアクセス	34, 67, 101, 116, 151
バスキュラーアクセスインターベンション治療	39
バスキュラーアクセストラブル	101
バスキュラーアクセスの感染	109
白血球除去療法	232
皮静脈	117
被嚢性腹膜硬化症	53
表在化動脈	36
標準化蛋白窒素出現率	131
頻度	26
不均衡症候群	74
副作用	235
腹水濾過濃縮再静注法	188, 237
腹膜刺激徴候	206
腹膜透析	49
ブドウ糖	24
ブライミングボリューム	154
分布容積	242
平均余命	166
閉塞	108
閉塞性動脈硬化症	222, 224
ベッドサイドコンソール	19
ヘパリン	90
ヘパリン起因性血小板減少症	28
保存期腎不全	129

ポリミキシンB 固定化ファイバー	213
------------------	-----

ま〜も

マグネシウム	23
膜分離	190
末期腎不全	120, 164
末梢静脈栄養	139
末梢動脈疾患	227
慢性炎症性脱髄性多発ニューロパチー	214, 220
(慢性) 関節リウマチ	205
慢性腎臓病	65, 66
慢性腎臓病 (CKD) の食事療法基準	130
水処理装置	18
未分画ヘパリン	28
免疫吸着法	215, 220
免疫グロブリン静注療法	214
モニタリング法	38

や・よ

夜間間欠的腹膜透析	53
夜間血液透析	55
薬物中毒	243
薬物中毒患者	239
予後決定因子	75

り〜れ

リチウム中毒	239
リビングウィル	173
瘤	111
リン	135
ループス腎炎	205
連続携行式腹膜透析	52
連続周期的腹膜透析	53