

索引 Index

数字・記号

- 1型糖尿病 81, 176, 247, 250
1型糖尿病合併妊娠 193, 194
1日4回 140
2型糖尿病合併妊娠 193, 194
2型糖尿病の薬物療法のアルゴリズム 21
3-point MACE 86
3P-MACE 78
1,5-AG 46
1,5-anhydroglucitol 46

欧 文

A～C

- α -GI 44, 55, 268
 α -グルコシダーゼ阻害薬 44, 232
advanced hybrid closed-loop 193
AGP レポート 168
AHCL 193
ambulatory glucose profile 168
antidiabetic agents 74
ASCVD 71, 220
atherosclerotic cardiovascular disease 71
 β -ヒドロキシ酪酸 250, 251
basal-bolus therapy 130, 191, 243
basal-supported oral therapy 56
basal-supported prandial GLP-1 receptor agonist therapy 56
BBT 130, 191, 206, 243
BD マイクロファインプラス™ 118
BNP 39
BOT 56, 126, 128
BPT 56

- CALORINA試験 34
CANVAS 218
CANVAS Program 220
CARMELINA 219
CGM 160, 166, 178, 206, 210
CGM 使用 172
CIR 177
continuous glucose monitoring 160, 206
continuous subcutaneous insulin infusion 243
cornerstone 69
CPI 144
CREDENCE 79, 216, 217
CSII 178, 191, 243, 244

D～I

- DAPA-CKD 79, 216, 217
DASC-8 199, 201
DDCRT 156
DECLARETIMI-58 78, 218, 220
Diabetes Distress and Care Registry at Tenri 156
diabetes-therapy related QOL 158
diabetic ketoacidosis 250
DKA 250
DPP-4阻害薬 37, 54, 89, 186, 202, 219, 232, 236, 265, 268, 269, 276
DTR-QOL 158
durability 26
EMPA-KIDNEY 79, 216, 217
EMPA-REG OUTCOME 71, 78, 220
EMPEROR Preserved 218
EMPEROR Reduced 218
EXSCEL 220
faster-acting insulin aspart 226
FGM 160, 206
FIGHT 220
flash glucose monitoring 160, 206
FLOW 217
GDM 190
gestational diabetes mellitus 190
GIP 85
GIP/GLP-1受容体作動薬 88, 185, 203, 219, 220, 232

K～V

- KATP チャネル 28
Kir6.2 30
LEADER 試験 71
LIVE 220
MARLINA-T2D 219
MASH 37, 72
MASLD 26, 36, 37
MDI 70, 140, 175
metabolic dysfunction associated steatohepatitis 37, 72
metabolic dysfunction associated steatotic liver disease 36
multiple daily injections 70, 175
NAFLD 25
NICE-SUGAR study 259
NSAIDs 33
overbasalization 129
PPAR γ 36
QOL 158
real-time CGM 167
rtCGM 160, 167, 168
SAP 191, 243, 244
SAVOR-TIMI 53 219
SCORED 218
sensor augmented pump 243
SGLT2阻害薬 76, 184, 201, 216, 218, 232, 236, 238, 255, 265

- SMBG 128, 239
 SNAC技術 89
 STEP-HFpEF 220
 SU薬 28, 37, 53, 89, 187, 203, 232, 270
 SUR1 28
 SUR2A 32
 SURPASS 4 219
 SURPASS-CVOT 219
 SURPASS Program 219
 TAR 179, 206
 TBR 179, 206
 TDD 176
 TECOS 219
 time above range 206
 time below range 206
 time in range 168, 206
 TIMES1試験 96
 TIMES2試験 96
 TIMES3試験 96
 TIR 168, 179, 206
 ultra rapid lispro 226
 VERTIS 218
- インクレチン 30, 33, 85
 インクレチン関連薬 232, 240
 飲水励行 82
 インスリン 109
 インスリンアスパルト 130, 134, 142, 185, 191, 192, 233, 236, 272
 インスリンアスパルト BS 112, 192
 インスリンイコデク 122, 134, 191
 インスリン感受性 193
 インスリングラルギン 122, 127, 130, 134, 139, 150, 185, 187, 191, 192, 233, 240, 265, 272
 インスリングラルギン BS 113, 127, 185, 187, 192
 インスリングルリジン 140, 191, 192
 インスリン効果値 177
 インスリン剤形 117
 インスリン持続静脈内投与 194
 インスリン処方 117
 インスリンスライディングスケール 134
 インスリン製剤 89
 インスリン製剤一覧表 12, 112
 インスリン注射実行度 156, 158
 インスリン注射針 118, 119
 インスリン注射部位 137
 インスリン注入速度 177
 インスリン抵抗性 266
 インスリン抵抗性改善作用 187
 インスリン抵抗性改善薬 36, 69
 インスリン適応 21
 インスリンデグルデク 134, 139, 142, 191, 192, 236, 239, 240
 インスリンデテミル 134, 192
 インスリン導入 134
 インスリンの合成 121
 インスリンの作用時間 110
 インスリンの種類 110
 インスリンの保存 120
 インスリン頻回注射療法 175
 インスリン分泌機構 30
 インスリン分泌促進作用 187
 インスリン分泌促進薬 232
 インスリンボール 147
 インスリンポンプ 246
- インスリンリスプロ 111, 134, 150, 187, 191, 192, 265
 インスリンリスプロ BS 112, 192
 インスリン療法導入時 172
 インスロー 275
 ヴィーン®D 194
 ウリエース® 266
 エクア® 187, 236, 240
 エクメット®配合錠 187
 エクメット®配合錠HD 107
 エクメット®配合錠LD 107
 エルツグリフロジン 218
 エンパグリフロジン 71, 78, 79, 185, 216, 218, 265
 オイグルコン® 32, 57, 58
 オステオカルシン 266, 267
 オゼンピック® 86, 89, 90, 91, 92, 185, 215

か行

- カート 112, 113
 カートリッジ型 116
 カーボカウント 178, 246
 外来インスリン導入 133
 外来導入 124, 126
 カナグリフロジン 79, 216, 218, 236, 239
 カナグル® 236, 239
 カナグルフロジン 220
 カナリア®配合錠 107
 カレンダー式注射法 153
 肝機能異常 72
 肝機能改善効果 80
 肝機能障害 45
 間歇スキャン式CGM 167
 感染症併発時 225
 偽性低ナトリウム血症 251
 基礎/追加インスリン療法 206
 基礎インスリン1日1回 120
 基礎インスリン療法 191
 基礎治療薬 69
 基礎分泌 111, 134
 キット「FFP」 113, 115
 基本輸液 252
 急性期 225
 急性期高血糖 258

和 文

あ行

- アヴィクリ®注 113, 114, 121, 122
 アカルボース 44, 46
 アキュファイン 119
 アクトス® 37, 39, 58, 185, 237, 268
 アテオス® 11, 88, 90
 アドヒアランス 209
 アピドラ® 112, 116, 140, 192, 213
 アマリール® 32, 57, 58, 270
 アルゴリズム 21
 胃管管理 272
 医原性高血糖 258
 異所性脂肪 185
 痛みが軽度 212
 イタンゴ® 116
 胃腸障害 98
 イニシング®配合錠 107
 イメグリミン 95, 187, 202, 233, 270

急性期低血糖	259
強化インスリン療法	57, 133, 134, 140, 236, 259
空腹時血糖値	186
グラクティブ [®]	55, 240, 265, 272
グラルギンBS	187
グリクラジド	30, 32, 54
グリニド薬	52, 55, 186, 203, 270
グリベンクラミド	30, 32, 58
グリミクロン [®]	32, 54, 57
グリミクロン [®] HA	32
グリメビリド	30, 32, 58, 270
グリメビリドOD	32
グルカゴン点鼻粉末剤	137
グルセルナ [®] -REX	275
グルファスト [®]	58, 59, 187
グルベス [®] 配合錠	107
経腸栄養	274, 276
経腸栄養食	275
血糖	249
血糖降下作用の持続性	26
血糖コントロールの指針	207
血糖コントロール不良時	172
血糖自己管理ノート	149, 150
血糖自己測定	120, 128, 239
血糖測定	261
ケトアシドーシス	133
ケトーシス	184, 229
下痢	73
交感神経刺激症状	254
高血圧	47
高血糖	258
高血糖高浸透圧症候群	133, 250, 252
高浸透圧高血糖状態	229
抗糖尿病薬	74
行動変容	170, 172
高齢者	46, 72, 186
高齢者糖尿病	99, 198
高齢糖尿病患者	172, 204
混合型インスリン	114

さ行

細小血管病変	117
サビオ [®]	116

残存インスリン時間	176
識別色	110
持効型インスリン	114, 126, 136, 139
持効型溶解インスリン	56, 114
自己注射	212
自己にてインスリンを調整	214
事前面談	209
持続血糖測定	160
持続血糖モニタリング	206, 210
持続皮下インスリン	191
シタグリプチン	55, 79, 240, 265, 272
シックデイ	73, 202, 229
ジャディアンス [®]	185, 265
ジャヌビア [®]	55, 240, 265, 272
周術期	258
重症低血糖	33, 199
集中治療	258
術後集中治療患者	261
消化器症状	46, 184
静脈栄養	276
静脈栄養管理時	225
症例検討会	210
食後血糖	186
食後高血糖	54, 172, 266, 267, 268
食後高血糖改善	53
シリンジポンプ	277
腎孟腎炎	83
腎機能異常	71
腎機能重度障害例	98
心血管イベント	54
心血管リスク	78
侵襲時の血糖降下療法	258
腎障害合併例	58
腎臓保護効果	79
身体活動量	137
腎複合エンドポイント	218
心不全	220
心保護効果	81
腎保護効果	81
脾外作用	85, 96
脾作用	85, 96
水疱性類天疱瘡	63
スージャヌ [®] 配合錠	107
スターシス [®]	54, 58, 59
ステップアップ	129
ステップダウン	182
ステロイド使用時	225
ステロイド糖尿病	58, 264
ストレス性高血糖	258
スライディングスケール	223, 224, 225, 276
スルホニルウレア結合部位	30
スルホニル尿素薬	28
生活改善	172
正常血糖DKA	255
正常血糖ケトアシドーシス	82
正常血糖ケトーシス	193
性善説	214
セイブル [®]	45, 46, 47, 265
責任インスリン	133, 136, 205, 224
絶食時	225
絶対的適応	109
セマグルチド	55, 86, 89, 90, 92, 185, 215, 218
相対的適応	109
早朝低血糖	57
ソタグリフロジン	218
速効型インスリン	55, 111
速効型インスリン分泌促進薬	232
ソニアス [®]	37
ソニアス [®] 配合錠HD	107
ソニアス [®] 配合錠LD	107
ソフトドリンクケトーシス	124, 250
ソリクア [®] 配合注	113, 114, 139, 140, 141, 142, 143
ゾルトファイ [®]	113, 114, 130, 139, 140, 143
ソロスター [®]	112, 113, 115, 213

た行

退院時	137
大血管障害	159
代謝機能障害関連脂肪肝炎	37, 72
代謝機能障害関連脂肪性肝疾患	36
耐糖能異常	47
耐糖能正常者	135
タイトレーション	142
タクロリムス	265
脱水	82

は行

- バイアル 277
 バイオシミラー 121
 配合剤 102
 配合溶解インスリン 114
 非アルコール性脂肪性肝疾患 25
 ピオグリタゾン 36, 37, 58, 185, 237, 268
 ピグアナイド薬 37, 69, 183, 186, 202, 232
 ピクトーザ[®] 86, 89, 90
 ヒトイインスリン 112, 192, 265, 269
 非肥満例 186
 肥満 184, 235
 肥満例 183
 ヒューマペン[®] 116
 ヒューマリン[®] 3/7注 113
 ヒューマリン[®]N 112, 192, 276
 ヒューマリン[®]R 112, 192, 253, 265, 269, 276, 277
 ヒューマログ[®] ミックス25注 113
 ヒューマログ[®] ミックス50注 113
 ヒューマログ[®] 112, 150, 152, 187, 192, 265
 ビルダグリプチン 187, 236, 240
 頻回超速効型インスリン皮下注射法 194
 ファスティック[®] 54, 58, 59
 不安定型糖尿病 244
 フィアスプ[®] 112, 191, 192, 226
 フィルター 277
 フォシーガ[®] 70, 239
 服薬アドヒアランス 47, 59, 102, 103
 服用回数 104
 ブドウ糖 277
 フレックスタッチ[®] 112, 113, 115, 213
 フレックスペン[®] 112, 115
 プレドニゾロン 265
 プレドニン[®] 265, 272
 プログラフ[®] 265
 分娩時血糖管理プロトコール 195
 分娩時の管理 194
 分娩中 194
 分娩直後の管理 195

な行

- 糖尿病治療関連QOL 158
 糖尿病網膜症 117, 134
 動脈硬化性心血管疾患 71, 220
 トラゼンタ[®] 272
 トラディアンス[®]配合錠AP 107
 トラディアンス[®]配合錠BP 107
 トルブタミド 30
 トルリシティ[®] 86, 90, 92, 93, 126, 211, 240, 265
 トレシーバ[®] 113, 114, 192, 213, 236, 239, 240
- ナテグリニド 54, 58, 59
 ナノパスニードルⅡナノパスTM 119
 二次無効 33
 入院治療 233
 乳酸アシドーシス 74, 98
 尿ケトン体 70
 尿潜血スクリーニング 39
 尿中ケトン体 31
 尿糖 266
 尿糖試験紙 266
 尿路・性器感染症 83
 妊娠中 190, 193
 妊娠糖尿病 190, 193, 195
 妊娠前 191
 認知・生活機能質問票 201
 認知機能 199
 ノボペン[®]6 116
 ノボベンエコー[®]プラス 116, 212, 213
 ノボラピッド[®] 130, 149, 185, 192, 213, 236, 272
 ノボラピッド[®]30ミックス注 113
 ノボラピッド[®]50ミックス注 113
 ノボラピッド[®]50ミックス注フレックスペン[®] 116
 ノボラピッド[®]注 112, 114
 ノボラピッド[®]注フレックスタッチ[®] 116
 ノボリン[®]N 112, 192
 ノボリン[®]R 112, 192
 ノボリン[®]30R注 113
 飲み忘れ 47, 211
- ダパグリフロジン 70, 78, 79, 216, 218, 220, 233, 239
 タピオン α 275
 ダンピング症候群 47
 チアゾリジン 36, 201, 237
 チーム医療 209
 中間型インスリン 111
 注射履歴 213
 中枢神経症状 254
 チューブ 277
 長期間高血糖状態 117
 超高齢者 31
 超高齢社会 249
 超速効型インスリン 55, 111, 130, 136
 腸閉塞 46
 チルゼバチド 11, 25, 88, 93, 130, 185, 219, 240
 追加インスリン 269
 追加インスリン療法 191
 追加分泌 111, 134
 ツイミング[®] 97
 低血糖 33, 63, 82, 97, 136, 137, 148, 159, 186, 254
 低血糖アラート機能 162
 低血糖危険因子 199
 低血糖リスク 96, 233
 ディスボーザブル型 115
 低ナトリウム血症 251
 ディムス 275
 テネリア[®] 92, 93
 テネリグリブリチン 92, 93
 デュアルハイブリッド 140
 デュラグルチド 86, 90, 92, 93, 240, 265
 電解質 249
 天理コホート研究 156
 糖質インスリン比 177
 糖毒性 235
 糖毒性解除 70
 糖尿病合併症 86
 糖尿病ケトアシドーシス 250, 252
 糖尿病自己管理 170
 糖尿病神経症 117
 糖尿病性ケトアシドーシス 229
 糖尿病性腎症 216

- ペイン® 45, 46, 47
 ペットボトル症候群 235
 ペン型インスリン剤型 115, 116
 ペニードル® プラス 119
 ペンフィル® 112, 113, 213
 膀胱炎 83
 膀胱癌 39
 ボグリボース 44, 46
 母体 190

ま行

- マイルドハイブリッド 140
 マンジャロ® 11, 88, 93, 126, 130, 185, 240
 慢性腎臓病 79, 81
 ミグリトル 44, 46, 265
 ミチグリニド 58, 59, 187
 ミトコンドリア機能障害 95
 ミニメド™780G 175
 ミリオベン® 112, 115
 ミリオベン®HD 112, 115
 無自覚低血糖 255
 メイバランス® 272

- メインミール 111
 メタクト® 37
 メタクト®配合錠HD 107
 メタクト®配合錠LD 107
 メトアナ®配合錠HD 107
 メトアナ®配合錠LD 107
 メトグルコ® 54, 58, 70, 73, 91, 92, 116, 183, 185, 187, 192, 214, 236, 239, 240, 268
 メトホルミン 25, 54, 58, 70, 73, 91, 92, 116, 183, 185, 186, 187, 192, 214, 233, 236, 237, 239, 240, 268

- 免疫関連有害事象 247
 免疫チェックポイント阻害薬 247
 目標血糖帯 259

や行

- 夜間低血糖 172
 夜間頻尿 81
 やせ 186
 やせ型 57, 187
 輸液管理 274
 輸液バッグ 277
 用量依存性 73

- ヨード造影剤使用時 72

ら行

- ライゾデグ® 114
 ライゾデグ®配合注 113, 114, 142
 ランタス® 113, 150, 152, 192, 240, 265, 272
 ランタス®XR 113, 119, 192, 212
 リアルタイムCGM 167
 リオベル® 37
 リオベル®配合錠HD 107
 リオベル®配合錠LD 107
 リキシセナチド 139, 140
 リソース® グルコパル 275
 リベルサス® 55, 58, 86, 90, 91, 92, 185, 215
 リラグルチド 71, 86, 89, 90, 130, 139
 ルムジェブ® 111, 112, 191, 192, 226
 レパグリニド 54, 58, 59, 270
 レベミル® 113, 192
 ローション 147